

LD: CHRISTIAN SPECHT

ME: ERIC NELSON

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(1)	FOH LO	1	Martin MAC Viper Profile 1, 225w		N/C
(10)	1LX	10	Martin Mac Quatum Profile 750w		N/C
(11)	2 LX	10	Martin Mac Quatum Profile 750w		N/C
(12)	3 LX	7	Martin Mac Quatum Profile 750w		N/C
(20)	1LX	18	Martin Mac2000 Performance 1.2kW		N/C
(21)	1LX	14	Martin Mac2000 Performance 1.2kW		N/C
(22)	1LX	6	Martin Mac2000 Performance 1.2kW		N/C
(23)	1LX	2	Martin Mac2000 Performance 1.2kW		N/C
(24)	2 LX	18	Martin Mac2000 Performance 1.2kW		N/C
(25)	2LX	14	Martin Mac2000 Performance 1.2kW		N/C
(26)	2 LX	6	Martin Mac2000 Performance 1.2kW		N/C
(27)	2 LX	2	Martin Mac2000 Performance 1.2kW		N/C
(28)	2A LX	17	Martin Mac2000 Performance 1.2kW		N/C
(29)	2A LX	13	Martin Mac2000 Performance 1.2kW		N/C
(30)	2A LX	6	Martin Mac2000 Performance 1.2kW		N/C

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(31)	2A LX	2	Martin Mac2000 Performance 1.2kW		N/C
(32)	3A LX	14	Martin Mac2000 Performance 1.2kW		N/C
(33)	3A LX	11	Martin Mac2000 Performance 1.2kW		N/C
(34)	3A LX	5	Martin Mac2000 Performance 1.2kW		N/C
(35)	3A LX	2	Martin Mac2000 Performance 1.2kW		N/C
(40)	BOX BOOM HL	18	Chauvet Rogue R1 Wash 161w		N/C
(41)	BOX BOOM HR	18	Chauvet Rogue R1 Wash 161w		N/C
(50)	1LX	16	Chauvet Rogue R1 Wash 161w		N/C
(51)	1LX	12	Chauvet Rogue R1 Wash 161w		N/C
(52)	1LX	8	Chauvet Rogue R1 Wash 161w		N/C
(53)	1LX	4	Chauvet Rogue R1 Wash 161w		N/C
(54)	2 LX	16	Chauvet Rogue R1 Wash 161w		N/C
(55)	2 LX	12	Chauvet Rogue R1 Wash 161w		N/C
(56)	2 LX	8	Chauvet Rogue R1 Wash 161w		N/C
(57)	2 LX	4	Chauvet Rogue R1 Wash 161w		N/C
(58)	2A LX	15	Chauvet Rogue R1 Wash 161w		N/C

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(59)	2A LX	11	Chauvet Rogue R1 Wash 161w		N/C
(60)	2A LX	8	Chauvet Rogue R1 Wash 161w		N/C
(61)	2A LX	4	Chauvet Rogue R1 Wash 161w		N/C
(62)	3A LX	8	Chauvet Rogue R1 Wash 161w		N/C
(111)	FOH HI	1	ETC Source4 26deg 575w		R54, R119
(112)	FOH LO	1	ETC Source4 19deg 575w		R54, R119
(113)	FOH HI	2	ETC Source4 26deg 575w		R54, R119
(114)	FOH LO	2	ETC Source4 19deg 575w		R54, R119
(115)	FOH HI	3	ETC Source4 26deg 575w		R54, R119
(116)	FOH LO	3	ETC Source4 19deg 575w		R54, R119
(117)	FOH HI	4	ETC Source4 26deg 575w		R54, R119
(118)	FOH LO	4	ETC Source4 19deg 575w		R54, R119
(119)	FOH HI	5	ETC Source4 26deg 575w		R54, R119
(120)	FOH LO	5	ETC Source4 19deg 575w		R54, R119
(121)	FOH HI	6	ETC Source4 26deg 575w		R54, R119
(122)	FOH LO	6	ETC Source4 19deg 575w		R54, R119
(123)	FOH HI	7	ETC Source4 26deg 575w		R54, R119
(124)	FOH LO	7	ETC Source4 19deg 575w		R54, R119
(125)	FOH HI	8	ETC Source4 26deg 575w		R54, R119
(126)	FOH LO	8	ETC Source4 19deg 575w		R54, R119
(127)	FOH HI	9	ETC Source4 26deg 575w		R54, R119
(128)	FOH LO	9	ETC Source4 19deg 575w		R54, R119
(129)	FOH HI	10	ETC Source4 26deg 575w		R54, R119
(130)	FOH LO	10	ETC Source4 19deg 575w		R54, R119
(131)	FOH HI	11	ETC Source4 26deg 575w		R54, R119

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(132)	FOH LO	11	ETC Source4 19deg 575w		R54, R119
(133)	FOH HI	12	ETC Source4 26deg 575w		R54, R119
(134)	FOH LO	12	ETC Source4 19deg 575w		R54, R119
(135)	FOH HI	13	ETC Source4 26deg 575w		R54, R119
(136)	FOH LO	13	ETC Source4 19deg 575w		R54, R119
(137)	FOH HI	14	ETC Source4 26deg 575w		R54, R119
(138)	FOH LO	14	ETC Source4 19deg 575w		R54, R119
(151)	BOX BOOM HR	3	ETC Source4 36deg 575w		R132, T:APOLLO 3571-BR
(152)	BOX BOOM HL	5	ETC Source4 36deg 575w		R132, T:APOLLO 3571-BR
(153)	BOX BOOM HR	4	ETC Source4 36deg 575w		R132, T:APOLLO 3571-BR
(154)	BOX BOOM HL	4	ETC Source4 36deg 575w		R132, T:APOLLO 3571-BR
(155)	BOX BOOM HR	5	ETC Source4 36deg 575w		R132, T:APOLLO 3571-BR
(156)	BOX BOOM HL	3	ETC Source4 36deg 575w		R132, T:APOLLO 3571-BR
(157)	BOX BOOM HR	6	ETC Source4 Zoom 25- 50deg 575w		R132, T:APOLLO 3571-BR
(158)	BOX BOOM HL	8	ETC Source4 Zoom 25- 50deg 575w		R132, T:APOLLO 3571-BR
(159)	BOX BOOM HR	7	ETC Source4 Zoom 15- 30deg 575w		R132, T:APOLLO 3571-BR
(160)	BOX BOOM HL	7	ETC Source4 Zoom 15- 30deg 575w		R132, T:APOLLO 3571-BR
(161)	BOX BOOM HR	8	ETC Source4 Zoom 15- 30deg 575w		R132, T:APOLLO 3571-BR
(162)	BOX BOOM HL	6	ETC Source4 Zoom 15- 30deg 575w		R132, T:APOLLO 3571-BR

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(163)	BOX BOOM HR	9	ETC Source4 Zoom 15- 30deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(164)	BOX BOOM HL	11	ETC Source4 Zoom 15- 30deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(165)	BOX BOOM HR	10	ETC Source4 Zoom 15- 30deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(166)	BOX BOOM HL	10	ETC Source4 Zoom 15- 30deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(167)	BOX BOOM HR	11	ETC Source4 Zoom 15- 30deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(168)	BOX BOOM HL	9	ETC Source4 Zoom 15- 30deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(169)	BOX BOOM HR	12	ETC Source4 Zoom 25- 50deg 575w		R132, T:APOLLO 3571-BR
(170)	BOX BOOM HL	14	ETC Source4 Zoom 25- 50deg 575w		R132, T:APOLLO 3571-BR
(171)	BOX BOOM HR	13	ETC Source4 Zoom 25- 50deg 575w		R132, T:APOLLO 3571-BR
(172)	BOX BOOM HL	13	ETC Source4 Zoom 25- 50deg 575w		R132, T:APOLLO 3571-BR
(173)	BOX BOOM HR	14	ETC Source4 Zoom 25- 50deg 575w		R132, T:APOLLO 3571-BR
(174)	BOX BOOM HL	12	ETC Source4 Zoom 25- 50deg 575w		R132, T:APOLLO 3571-BR
(175)	BOX BOOM HR	15	ETC Source4 26deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(176)	BOX BOOM HL	17	ETC Source4 26deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(177)	BOX BOOM HR	16	ETC Source4 26deg 575w		R132, T:ROSCO 78023 RANDOM LINES

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(178)	BOX BOOM HL	16	ETC Source4 26deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(179)	BOX BOOM HR	17	ETC Source4 26deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(180)	BOX BOOM HL	15	ETC Source4 26deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(201)	1LX	1	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(202)	1LX	11	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(203)	1LX	3	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(204)	1LX	13	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(205)	1LX	5	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(206)	1LX	15	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(207)	1LX	7	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(208)	1LX	17	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(209)	1LX	9	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(210)	1LX	19	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(211)	2 LX	1	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(212)	2 LX	11	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(213)	2 LX	3	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(214)	2 LX	13	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(215)	2 LX	5	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(216)	2 LX	15	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(217)	2 LX	7	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(218)	2 LX	17	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(219)	1LX	9	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(220)	2 LX	19	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(221)	2A LX	1	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(222)	2A LX	10	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(223)	2A LX	3	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(224)	2A LX	12	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(225)	2A LX	5	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(226)	2A LX	14	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(227)	2A LX	7	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(228)	2A LX	16	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(229)	2A LX	9	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(230)	2A LX	18	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(231)	3A LX	1	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(232)	3A LX	9	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(233)	3A LX	3	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(234)	3A LX	10	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(235)	3A LX	4	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(236)	3A LX	12	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(237)	3A LX	6	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(238)	3A LX	13	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(239)	3A LX	7	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES



Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(240)	3A LX	15	ETC Source4 36deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(301)	3 LX	1	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(302)	3 LX	2	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(303)	3 LX	3	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(304)	3 LX	4	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(305)	3 LX	5	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(306)	3 LX	6	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(307)	3 LX	8	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(308)	3 LX	9	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(309)	3 LX	10	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(310)	3 LX	11	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(311)	3 LX	12	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(312)	3 LX	13	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(313)	4 LX	2	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(314)	4 LX	4	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(315)	4 LX	6	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(316)	4 LX	8	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(317)	4 LX	10	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(318)	4 LX	12	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(319)	4 LX	14	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(320)	4 LX	16	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(401)	ROVER BOOM 1 SL	3	ETC Source4 36deg 575w		R119, R361, R316, R337, R367
(402)	ROVER BOOM 1 SR	3	ETC Source4 36deg 575w		R119, R361, R316, R337, R367
(403)	ROVER BOOM 1 SL	1	ETC Source4 36deg 575w		R119, R361, R316, R337, R367
(404)	ROVER BOOM 1 SR	1	ETC Source4 36deg 575w		R119, R361, R316, R337, R367
(405)	DECK BOOM 2 SL	3	ETC Source4 36deg 575w		R119, R361, R316, R337, R367
(406)	DECK BOOM 2 SR	3	ETC Source4 36deg 575w		R119, R361, R316, R337, R367
(407)	DECK BOOM 2 SL	1	ETC Source4 36deg 575w		R119, R361, R316, R337, R367
(408)	DECK BOOM 2 SR	1	ETC Source4 36deg 575w		R119, R361, R316, R337, R367
(409)	DECK BOOM 3 SL	3	ETC Source4 36deg 575w		R119, R361, R316, R337, R367

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(410)	DECK BOOM 3 SR	3	ETC Source4 36deg 575w		R119, R361, R316, R337, R367
(411)	DECK BOOM 3 SL	1	ETC Source4 36deg 575w		R119, R361, R316, R337, R367
(412)	DECK BOOM 3 SR	1	ETC Source4 36deg 575w		R119, R361, R316, R337, R367
(501)	ROVER BOOM 1 SL	2	Chauvet COLORado Batten 72 Tour 88w		N/C
(502)	ROVER BOOM 1 SR	2	Chauvet COLORado Batten 72 Tour 88w		N/C
(503)	DECK BOOM 2 SL	2	Chauvet COLORado Batten 72 Tour 88w		N/C
(504)	DECK BOOM 2 SR	2	Chauvet COLORado Batten 72 Tour 88w		N/C
(505)	DECK BOOM 3 SL	2	Chauvet COLORado Batten 72 Tour 88w		N/C
(506)	DECK BOOM 3 SR	2	Chauvet COLORado Batten 72 Tour 88w		N/C
(600)	4 LX	1	ETC ColorSource Cyclight 160w		N/C
(601)	4 LX	3	ETC ColorSource Cyclight 160w		N/C
(602)	4 LX	5	ETC ColorSource Cyclight 160w		N/C
(603)	4 LX	7	ETC ColorSource Cyclight 160w		N/C
(604)	4 LX	9	ETC ColorSource Cyclight 160w		N/C
(605)	4 LX	11	ETC ColorSource Cyclight 160w		N/C
(606)	4 LX	13	ETC ColorSource Cyclight 160w		N/C

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(607)	4 LX	15	ETC ColorSource Cyclight 160w		N/C
(608)	4 LX	17	ETC ColorSource Cyclight 160w		N/C
(620)	GROUND ROW	1	Chauvet COLORado Batten 72 Tour 88w	GROUNDROW CYC	R104
(621)	GROUND ROW	2	Chauvet COLORado Batten 72 Tour 88w	GROUNDROW CYC	R104
(622)	GROUND ROW	3	Chauvet COLORado Batten 72 Tour 88w	GROUNDROW CYC	R104
(623)	GROUND ROW	4	Chauvet COLORado Batten 72 Tour 88w	GROUNDROW CYC	R104
(624)	GROUND ROW	5	Chauvet COLORado Batten 72 Tour 88w	GROUNDROW CYC	R104
(650)	GROUND ROW	A1	Altman Zip Strip Cell	GROUNDROW CYC	R80
	"	B1	"	"	"
	"	C1	"	"	"
	"	D1	"	"	"
	"	E1	"	"	"
	"	F1	"	"	"
(651)	GROUND ROW	A2	Altman Zip Strip Cell	GROUNDROW CYC	R21
	"	B2	"	"	"
	"	C2	"	"	"
	"	D2	"	"	"
	"	E2	"	"	"
	"	F2	"	"	"

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(652)	GROUND ROW	A3	Altman Zip Strip Cell	GROUNDROW CYC	R106
	"	B3	"	"	"
	"	C3	"	"	"
	"	D3	"	"	"
	"	E3	"	"	"
	"	F3	"	"	"
(701)	1LX SL TAIL DOWN	1	Altman PAR 64 MFL 1kW		N/C
(702)	1LX SL TAIL DOWN	2	Altman PAR 64 MFL 1kW		N/C
(703)	1LX SL TAIL DOWN	3	Altman PAR 64 MFL 1kW		N/C
(704)	1LX SL TAIL DOWN	4	Altman PAR 64 MFL 1kW		N/C
(705)	1LX SL TAIL DOWN	5	Altman PAR 64 MFL 1kW		N/C
(711)	3LX SL TAIL DOWN	1	Altman PAR 64 MFL 1kW		N/C
(712)	3LX SL TAIL DOWN	2	Altman PAR 64 MFL 1kW		N/C
(713)	3LX SL TAIL DOWN	3	Altman PAR 64 MFL 1kW		N/C
(714)	3LX SL TAIL DOWN	4	Altman PAR 64 MFL 1kW		N/C
(715)	3LX SL TAIL DOWN	5	Altman PAR 64 MFL 1kW		N/C
(721)	1LX SR TAIL DOWN	1	Altman PAR 64 MFL 1kW		N/C
(722)	1LX SR TAIL DOWN	2	Altman PAR 64 MFL 1kW		N/C
(723)	1LX SR TAIL DOWN	3	Altman PAR 64 MFL 1kW		N/C

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(724)	1LX SR TAIL DOWN	4	Altman PAR 64 MFL 1kW		N/C
(725)	1LX SR TAIL DOWN	5	Altman PAR 64 MFL 1kW		N/C
(731)	3LX SR TAIL DOWN	1	Altman PAR 64 MFL 1kW		N/C
(732)	3LX SR TAIL DOWN	2	Altman PAR 64 MFL 1kW		N/C
(733)	3LX SR TAIL DOWN	3	Altman PAR 64 MFL 1kW		N/C
(734)	3LX SR TAIL DOWN	4	Altman PAR 64 MFL 1kW		N/C
(735)	3LX SR TAIL DOWN	5	Altman PAR 64 MFL 1kW		N/C
(750)	FOOTLIG HTS	1	USITT PAR MR-16 Birdie- WFL 65w		N/C
(751)	FOOTLIG HTS	2	USITT PAR MR-16 Birdie- WFL 65w		N/C
(752)	FOOTLIG HTS	3	USITT PAR MR-16 Birdie- WFL 65w		N/C
(753)	FOOTLIG HTS	4	USITT PAR MR-16 Birdie- WFL 65w		N/C
(754)	FOOTLIG HTS	5	USITT PAR MR-16 Birdie- WFL 65w		N/C
(755)	FOOTLIG HTS	6	USITT PAR MR-16 Birdie- WFL 65w		N/C
(756)	FOOTLIG HTS	7	USITT PAR MR-16 Birdie- WFL 65w		N/C
(757)	FOOTLIG HTS	8	USITT PAR MR-16 Birdie- WFL 65w		N/C
(758)	FOOTLIG HTS	9	USITT PAR MR-16 Birdie- WFL 65w		N/C
(759)	FOOTLIG HTS	10	USITT PAR MR-16 Birdie- WFL 65w		N/C

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(760)	FOOTLIG HTS	11	USITT PAR MR-16 Birdie- WFL 65w		N/C
(761)	FOOTLIG HTS	12	USITT PAR MR-16 Birdie- WFL 65w		N/C
(762)	FOOTLIG HTS	13	USITT PAR MR-16 Birdie- WFL 65w		N/C
(800)	BOX BOOM HL	2	ETC Source4 Zoom 15- 30deg 575w		R132, T:ROSCO 77805 LEAF BRKUP MED
(801)	BOX BOOM HR	1	ETC Source4 Zoom 15- 30deg 575w		R132, T:ROSCO 77805 LEAF BRKUP MED
(802)	BOX BOOM HL	1	ETC Source4 Zoom 15- 30deg 575w		R132, T:ROSCO 77805 LEAF BRKUP MED
(803)	BOX BOOM HR	2	ETC Source4 Zoom 15- 30deg 575w		R132, T:ROSCO 77805 LEAF BRKUP MED
(1000)	SL	1	15ft LED Tape	PROC. LED TAPE SL	RGBW
	"	2	"	"	"
(1001)	TOP	1	15ft LED Tape	PROC. LED TAPE TOP	RGBW
	"	"	"	"	"
	"	2	"	"	"
	"	"	"	"	"
	"	3	"	"	"
	"	"	"	"	"
(1002)	SR	1	15ft LED Tape	PROC. LED TAPE SR	RGBW
	"	2	"	"	"
(2000)	DECK	1	Chauvet AmHAZE Whisper 1.07kW	HAZER	N/A

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(3000)	FOH LO	1a	ETC Source4 PARNeI 575w	HOUSE LIGHTS	N/C
	"	"	"	"	"
	FOH REAR	1	"	"	"
	"	2	"	"	"
-----					
	"	3	"	"	"

---



Items WITHOUT Channel

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
	BACK OF HOUSE		Altman Comet Follow Spots 410w		R132, R3318, L205, R05, R3314, R302
	"		"		"

---

LD: CHRISTIAN SPECHT

(229) 630-3209

ME: ERIC NELSON

---

TABLE OF CONTENTS

BOX BOOM HL .....	1	1LX .....	14
BOX BOOM HR .....	3	1LX SR TAIL DOWN .....	15
ROVER BOOM 1 SR .....	4	2LX .....	15
DECK BOOM 2 SR .....	4	4 LX .....	16
DECK BOOM 3 SR .....	5	FOOTLIGHTS .....	18
ROVER BOOM 1 SL .....	5	BACK OF HOUSE .....	19
DECK BOOM 2 SL .....	5	3LX SL TAIL DOWN .....	19
DECK BOOM 3 SL .....	5	1LX SL TAIL DOWN .....	19
3A LX .....	6	3LX SR TAIL DOWN .....	19
3 LX .....	7	DECK .....	20
FOH HI .....	8	GROUNDROW .....	20
FOH LO .....	9	FOH REAR .....	21
2 LX .....	10	SL .....	22
2A LX .....	12	SR .....	22
		TOP .....	22

LD: CHRISTIAN SPECHT

(229) 630-3209

ME: ERIC NELSON

## BOX BOOM HL

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 Zoom 15-30deg	575w		R132, T:ROSCO 77805 LEAF BRKUP MED	(802)		
2	ETC Source4 Zoom 15-30deg	575w		R132, T:ROSCO 77805 LEAF BRKUP MED	(800)		
3	ETC Source4 36deg	575w		R132, T:APOLLO 3571-BR	(156)		
4	ETC Source4 36deg	575w		R132, T:APOLLO 3571-BR	(154)		
5	ETC Source4 36deg	575w		R132, T:APOLLO 3571-BR	(152)		
6	ETC Source4 Zoom 15-30deg	575w		R132, T: APOLLO 3571-BR	(162)		
7	ETC Source4 Zoom 15-30deg	575w		R132, T: APOLLO 3571-BR	(160)		
8	ETC Source4 Zoom 25-50deg	575w		R132, T: APOLLO 3571-BR	(158)		
9	ETC Source4 Zoom 15-30deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(168)		
10	ETC Source4 Zoom 15-30deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(166)		
11	ETC Source4 Zoom 15-30deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(164)		
12	ETC Source4 Zoom 25-50deg	575w		R132, T: APOLLO 3571-BR	(174)		
13	ETC Source4 Zoom 25-50deg	575w		R132, T: APOLLO 3571-BR	(172)		
14	ETC Source4 Zoom 25-50deg	575w		R132, T: APOLLO 3571-BR	(170)		

BOX BOOM HL

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
15	ETC Source4 26deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(180)		
16	ETC Source4 26deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(178)		
17	ETC Source4 26deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(176)		
18	Chauvet Rogue R1 Wash	161w		N/C	(40)		

## BOX BOOM HR

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 Zoom 15-30deg	575w		R132, T:ROSCO 77805 LEAF BRKUP MED	(801)		
2	ETC Source4 Zoom 15-30deg	575w		R132, T:ROSCO 77805 LEAF BRKUP MED	(803)		
3	ETC Source4 36deg	575w		R132, T:APOLLO 3571-BR	(151)		
4	ETC Source4 36deg	575w		R132, T:APOLLO 3571-BR	(153)		
5	ETC Source4 36deg	575w		R132, T:APOLLO 3571-BR	(155)		
6	ETC Source4 Zoom 25-50deg	575w		R132, T: APOLLO 3571-BR	(157)		
7	ETC Source4 Zoom 15-30deg	575w		R132, T: APOLLO 3571-BR	(159)		
8	ETC Source4 Zoom 15-30deg	575w		R132, T: APOLLO 3571-BR	(161)		
9	ETC Source4 Zoom 15-30deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(163)		
10	ETC Source4 Zoom 15-30deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(165)		
11	ETC Source4 Zoom 15-30deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(167)		
12	ETC Source4 Zoom 25-50deg	575w		R132, T: APOLLO 3571-BR	(169)		
13	ETC Source4 Zoom 25-50deg	575w		R132, T: APOLLO 3571-BR	(171)		
14	ETC Source4 Zoom 25-50deg	575w		R132, T: APOLLO 3571-BR	(173)		

## BOX BOOM HR

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
15	ETC Source4 26deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(175)		
16	ETC Source4 26deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(177)		
17	ETC Source4 26deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(179)		
18	Chauvet Rogue R1 Wash	161w		N/C	(41)		

## ROVER BOOM 1 SR

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 36deg	575w		R119, R361, R316, R337, R367	(404)		
2	Chauvet COLORado Batten 72 Tour	88w		N/C	(502)		
3	ETC Source4 36deg	575w		R119, R361, R316, R337, R367	(402)		

## DECK BOOM 2 SR

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 36deg	575w		R119, R361, R316, R337, R367	(408)		
2	Chauvet COLORado Batten 72 Tour	88w		N/C	(504)		
3	ETC Source4 36deg	575w		R119, R361, R316, R337, R367	(406)		

## DECK BOOM 3 SR

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 36deg	575w		R119, R361, R316, R337, R367	(412)		
2	Chauvet COLORado Batten 72 Tour	88w		N/C	(506)		
3	ETC Source4 36deg	575w		R119, R361, R316, R337, R367	(410)		

## ROVER BOOM 1 SL

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 36deg	575w		R119, R361, R316, R337, R367	(403)		
2	Chauvet COLORado Batten 72 Tour	88w		N/C	(501)		
3	ETC Source4 36deg	575w		R119, R361, R316, R337, R367	(401)		

## DECK BOOM 2 SL

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 36deg	575w		R119, R361, R316, R337, R367	(407)		
2	Chauvet COLORado Batten 72 Tour	88w		N/C	(503)		
3	ETC Source4 36deg	575w		R119, R361, R316, R337, R367	(405)		

## DECK BOOM 3 SL

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 36deg	575w		R119, R361, R316, R337, R367	(411)		
2	Chauvet COLORado Batten 72 Tour	88w		N/C	(505)		
3	ETC Source4 36deg	575w		R119, R361, R316, R337, R367	(409)		

## 3A LX

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(231)		
2	Martin Mac2000 Performance	1.2kW		N/C	(35)		
3	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(233)		
4	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(235)		
5	Martin Mac2000 Performance	1.2kW		N/C	(34)		
6	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(237)		
7	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(239)		
8	Chauvet Rogue R1 Wash	161w		N/C	(62)		
9	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(232)		
10	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(234)		
11	Martin Mac2000 Performance	1.2kW		N/C	(33)		
12	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(236)		
13	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(238)		
14	Martin Mac2000 Performance	1.2kW		N/C	(32)		



## 3A LX

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
15	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(240)		

## 3 LX

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(301)		
2	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(302)		
3	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(303)		
4	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(304)		
5	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(305)		
6	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(306)		
7	Martin Mac Quatum Profile	750w		N/C	(12)		
8	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(307)		
9	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(308)		
10	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(309)		
11	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(310)		

## 3 LX

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
12	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(311)		
13	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(312)		

## FOH HI

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 26deg	575w		R54, R119	(111)		
2	ETC Source4 26deg	575w		R54, R119	(113)		
3	ETC Source4 26deg	575w		R54, R119	(115)		
4	ETC Source4 26deg	575w		R54, R119	(117)		
5	ETC Source4 26deg	575w		R54, R119	(119)		
6	ETC Source4 26deg	575w		R54, R119	(121)		
7	ETC Source4 26deg	575w		R54, R119	(123)		
8	ETC Source4 26deg	575w		R54, R119	(125)		
9	ETC Source4 26deg	575w		R54, R119	(127)		
10	ETC Source4 26deg	575w		R54, R119	(129)		
11	ETC Source4 26deg	575w		R54, R119	(131)		
12	ETC Source4 26deg	575w		R54, R119	(133)		
13	ETC Source4 26deg	575w		R54, R119	(135)		
14	ETC Source4 26deg	575w		R54, R119	(137)		

## FOH LO

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 19deg	575w		R54, R119	(112)		
1	Martin MAC Viper Profile	1,225w		N/C	(1)		
1a	ETC Source4 PARNel	575w	HOUSE LIGHTS	N/C	(3000)		
1a	ETC Source4 PARNel	575w	HOUSE LIGHTS	N/C	(3000)		
2	ETC Source4 19deg	575w		R54, R119	(114)		
3	ETC Source4 19deg	575w		R54, R119	(116)		
4	ETC Source4 19deg	575w		R54, R119	(118)		
5	ETC Source4 19deg	575w		R54, R119	(120)		
6	ETC Source4 19deg	575w		R54, R119	(122)		
7	ETC Source4 19deg	575w		R54, R119	(124)		
8	ETC Source4 19deg	575w		R54, R119	(126)		
9	ETC Source4 19deg	575w		R54, R119	(128)		
10	ETC Source4 19deg	575w		R54, R119	(130)		
11	ETC Source4 19deg	575w		R54, R119	(132)		
12	ETC Source4 19deg	575w		R54, R119	(134)		
13	ETC Source4 19deg	575w		R54, R119	(136)		
14	ETC Source4 19deg	575w		R54, R119	(138)		

## 2 LX

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(211)		
2	Martin Mac2000 Performance	1.2kW		N/C	(27)		
3	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(213)		
4	Chauvet Rogue R1 Wash	161w		N/C	(57)		
5	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(215)		
6	Martin Mac2000 Performance	1.2kW		N/C	(26)		
7	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(217)		
8	Chauvet Rogue R1 Wash	161w		N/C	(56)		
10	Martin Mac Quatum Profile	750w		N/C	(11)		
11	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(212)		
12	Chauvet Rogue R1 Wash	161w		N/C	(55)		
13	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(214)		
15	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(216)		
16	Chauvet Rogue R1 Wash	161w		N/C	(54)		

2 LX

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
17	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(218)		
18	Martin Mac2000 Performance	1.2kW		N/C	(24)		
19	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(220)		

## 2A LX

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(221)		
2	Martin Mac2000 Performance	1.2kW		N/C	(31)		
3	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(223)		
4	Chauvet Rogue R1 Wash	161w		N/C	(61)		
5	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(225)		
6	Martin Mac2000 Performance	1.2kW		N/C	(30)		
7	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(227)		
8	Chauvet Rogue R1 Wash	161w		N/C	(60)		
9	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(229)		
10	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(222)		
11	Chauvet Rogue R1 Wash	161w		N/C	(59)		
12	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(224)		
13	Martin Mac2000 Performance	1.2kW		N/C	(29)		
14	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(226)		

2A LX

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
15	Chauvet Rogue R1 Wash	161w		N/C	(58)		
16	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(228)		
17	Martin Mac2000 Performance	1.2kW		N/C	(28)		
18	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(230)		

## 1LX

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(201)		
2	Martin Mac2000 Performance	1.2kW		N/C	(23)		
3	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(203)		
4	Chauvet Rogue R1 Wash	161w		N/C	(53)		
5	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(205)		
6	Martin Mac2000 Performance	1.2kW		N/C	(22)		
7	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(207)		
8	Chauvet Rogue R1 Wash	161w		N/C	(52)		
9	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(209)		
9	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(219)		
10	Martin Mac Quatum Profile	750w		N/C	(10)		
11	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(202)		
12	Chauvet Rogue R1 Wash	161w		N/C	(51)		
13	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(204)		



## 1LX

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
14	Martin Mac2000 Performance	1.2kW		N/C	(21)		
15	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(206)		
16	Chauvet Rogue R1 Wash	161w		N/C	(50)		
17	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(208)		
18	Martin Mac2000 Performance	1.2kW		N/C	(20)		
19	ETC Source4 36deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(210)		

## 1LX SR TAIL DOWN

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	Altman PAR 64 MFL	1kW		N/C	(721)		
2	Altman PAR 64 MFL	1kW		N/C	(722)		
3	Altman PAR 64 MFL	1kW		N/C	(723)		
4	Altman PAR 64 MFL	1kW		N/C	(724)		
5	Altman PAR 64 MFL	1kW		N/C	(725)		

## 2LX

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
14	Martin Mac2000 Performance	1.2kW		N/C	(25)		

## 4 LX

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC ColorSource Cyclight	160w		N/C	(600)		
2	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(313)		
3	ETC ColorSource Cyclight	160w		N/C	(601)		
4	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(314)		
5	ETC ColorSource Cyclight	160w		N/C	(602)		
6	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(315)		
7	ETC ColorSource Cyclight	160w		N/C	(603)		
8	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(316)		
9	ETC ColorSource Cyclight	160w		N/C	(604)		
10	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(317)		
11	ETC ColorSource Cyclight	160w		N/C	(605)		
12	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(318)		
13	ETC ColorSource Cyclight	160w		N/C	(606)		
14	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(319)		

4 LX

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
15	ETC ColorSource Cyclight	160w		N/C	(607)		
16	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(320)		
17	ETC ColorSource Cyclight	160w		N/C	(608)		

## FOOTLIGHTS

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	USITT PAR MR-16 Birdie-WFL	65w		N/C	(750)		
2	USITT PAR MR-16 Birdie-WFL	65w		N/C	(751)		
3	USITT PAR MR-16 Birdie-WFL	65w		N/C	(752)		
4	USITT PAR MR-16 Birdie-WFL	65w		N/C	(753)		
5	USITT PAR MR-16 Birdie-WFL	65w		N/C	(754)		
6	USITT PAR MR-16 Birdie-WFL	65w		N/C	(755)		
7	USITT PAR MR-16 Birdie-WFL	65w		N/C	(756)		
8	USITT PAR MR-16 Birdie-WFL	65w		N/C	(757)		
9	USITT PAR MR-16 Birdie-WFL	65w		N/C	(758)		
10	USITT PAR MR-16 Birdie-WFL	65w		N/C	(759)		
11	USITT PAR MR-16 Birdie-WFL	65w		N/C	(760)		
12	USITT PAR MR-16 Birdie-WFL	65w		N/C	(761)		
13	USITT PAR MR-16 Birdie-WFL	65w		N/C	(762)		

## BACK OF HOUSE

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
	Altman Comet Follow Spots	410w		R132, R3318, L205, R05, R3314, R302			
	Altman Comet Follow Spots	410w		R132, R3318, L205, R05, R3314, R302			

## 3LX SL TAIL DOWN

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	Altman PAR 64 MFL	1kW		N/C	(711)		
2	Altman PAR 64 MFL	1kW		N/C	(712)		
3	Altman PAR 64 MFL	1kW		N/C	(713)		
4	Altman PAR 64 MFL	1kW		N/C	(714)		
5	Altman PAR 64 MFL	1kW		N/C	(715)		

## 1LX SL TAIL DOWN

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	Altman PAR 64 MFL	1kW		N/C	(701)		
2	Altman PAR 64 MFL	1kW		N/C	(702)		
3	Altman PAR 64 MFL	1kW		N/C	(703)		
4	Altman PAR 64 MFL	1kW		N/C	(704)		
5	Altman PAR 64 MFL	1kW		N/C	(705)		

## 3LX SR TAIL DOWN

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	Altman PAR 64 MFL	1kW		N/C	(731)		
2	Altman PAR 64 MFL	1kW		N/C	(732)		
3	Altman PAR 64 MFL	1kW		N/C	(733)		
4	Altman PAR 64 MFL	1kW		N/C	(734)		
5	Altman PAR 64 MFL	1kW		N/C	(735)		

## DECK

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	Chauvet AmHAZE Whisper	1.07kW	HAZER	N/A	(2000)		

## GROUNDROW

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	Chauvet COLORado Batten 72 Tour	88w	GROUNDROW CYC	R104	(620)		
2	Chauvet COLORado Batten 72 Tour	88w	GROUNDROW CYC	R104	(621)		
3	Chauvet COLORado Batten 72 Tour	88w	GROUNDROW CYC	R104	(622)		
4	Chauvet COLORado Batten 72 Tour	88w	GROUNDROW CYC	R104	(623)		
5	Chauvet COLORado Batten 72 Tour	88w	GROUNDROW CYC	R104	(624)		
A1	Altman Zip Strip Cell		GROUNDROW CYC	R80	(650)		
A2	Altman Zip Strip Cell		GROUNDROW CYC	R21	(651)		
A3	Altman Zip Strip Cell		GROUNDROW CYC	R106	(652)		
B1	Altman Zip Strip Cell		GROUNDROW CYC	R80	(650)		
B2	Altman Zip Strip Cell		GROUNDROW CYC	R21	(651)		
B3	Altman Zip Strip Cell		GROUNDROW CYC	R106	(652)		

## GROUNDROW

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
C1	Altman Zip Strip Cell		GROUNDROW CYC	R80	(650)		
C2	Altman Zip Strip Cell		GROUNDROW CYC	R21	(651)		
C3	Altman Zip Strip Cell		GROUNDROW CYC	R106	(652)		
-----							
D1	Altman Zip Strip Cell		GROUNDROW CYC	R80	(650)		
D2	Altman Zip Strip Cell		GROUNDROW CYC	R21	(651)		
D3	Altman Zip Strip Cell		GROUNDROW CYC	R106	(652)		
-----							
E1	Altman Zip Strip Cell		GROUNDROW CYC	R80	(650)		
E2	Altman Zip Strip Cell		GROUNDROW CYC	R21	(651)		
E3	Altman Zip Strip Cell		GROUNDROW CYC	R106	(652)		
-----							
F1	Altman Zip Strip Cell		GROUNDROW CYC	R80	(650)		
F2	Altman Zip Strip Cell		GROUNDROW CYC	R21	(651)		
F3	Altman Zip Strip Cell		GROUNDROW CYC	R106	(652)		

## FOH REAR

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 PARNel	575w	HOUSE LIGHTS	N/C	(3000)		
2	ETC Source4 PARNel	575w	HOUSE LIGHTS	N/C	(3000)		
3	ETC Source4 PARNel	575w	HOUSE LIGHTS	N/C	(3000)		

SL

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	15ft LED Tape		PROC. LED TAPE SL	RGBW	(1000)		
2	15ft LED Tape		PROC. LED TAPE SL	RGBW	(1000)		

SR

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	15ft LED Tape		PROC. LED TAPE SR	RGBW	(1002)		
2	15ft LED Tape		PROC. LED TAPE SR	RGBW	(1002)		

TOP

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	15ft LED Tape		PROC. LED TAPE TOP	RGBW	(1001)		
1	15ft LED Tape		PROC. LED TAPE TOP	RGBW	(1001)		
2	15ft LED Tape		PROC. LED TAPE TOP	RGBW	(1001)		
2	15ft LED Tape		PROC. LED TAPE TOP	RGBW	(1001)		
3	15ft LED Tape		PROC. LED TAPE TOP	RGBW	(1001)		
3	15ft LED Tape		PROC. LED TAPE TOP	RGBW	(1001)		



LD: CHRISTIAN SPECHT

(229) 630-3209

ME: ERIC NELSON

---

TABLE OF CONTENTS

N/C .....	1	R106 .....	18
R132 .....	8	R21 .....	18
R54, R119 .....	15	R80 .....	19
R132, R3318, L205, R05, R3314, R3	17	R119, R361, R316, R337, R367 .....	20
R104 .....	17	RGBW .....	21
		N/A .....	21

LD: CHRISTIAN SPECHT

(229) 630-3209

ME: ERIC NELSON

N/C

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
BOX BOOM HL	18	Chauvet Rogue R1 Wash	161w			(40)
BOX BOOM HR	18	Chauvet Rogue R1 Wash	161w			(41)
ROVER BOOM 1 SR	2	Chauvet COLORado Batten 72 Tour	88w			(502)
DECK BOOM 2 SR	2	Chauvet COLORado Batten 72 Tour	88w			(504)
DECK BOOM 3 SR	2	Chauvet COLORado Batten 72 Tour	88w			(506)
ROVER BOOM 1 SL	2	Chauvet COLORado Batten 72 Tour	88w			(501)
DECK BOOM 2 SL	2	Chauvet COLORado Batten 72 Tour	88w			(503)
DECK BOOM 3 SL	2	Chauvet COLORado Batten 72 Tour	88w			(505)
3A LX	2	Martin Mac2000 Performance	1.2kW			(35)
3A LX	5	Martin Mac2000 Performance	1.2kW			(34)
3A LX	8	Chauvet Rogue R1 Wash	161w			(62)
3A LX	11	Martin Mac2000 Performance	1.2kW			(33)
3A LX	14	Martin Mac2000 Performance	1.2kW			(32)

N/C

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
3 LX	7	Martin Mac Quatum Profile	750w			(12)
FOH LO	1	Martin MAC Viper Profile	1,225w			(1)
FOH LO	1a	ETC Source4 PARNel	575w	HOUSE LIGHTS		(3000)
FOH LO	1a	ETC Source4 PARNel	575w	HOUSE LIGHTS		(3000)
2 LX	2	Martin Mac2000 Performance	1.2kW			(27)
2 LX	4	Chauvet Rogue R1 Wash	161w			(57)
2 LX	6	Martin Mac2000 Performance	1.2kW			(26)
2 LX	8	Chauvet Rogue R1 Wash	161w			(56)
2 LX	10	Martin Mac Quatum Profile	750w			(11)
2 LX	12	Chauvet Rogue R1 Wash	161w			(55)
2 LX	16	Chauvet Rogue R1 Wash	161w			(54)
2 LX	18	Martin Mac2000 Performance	1.2kW			(24)
2A LX	2	Martin Mac2000 Performance	1.2kW			(31)
2A LX	4	Chauvet Rogue R1 Wash	161w			(61)
2A LX	6	Martin Mac2000 Performance	1.2kW			(30)

N/C

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
2A LX	8	Chauvet Rogue R1 Wash	161w			(60)
2A LX	11	Chauvet Rogue R1 Wash	161w			(59)
2A LX	13	Martin Mac2000 Performance	1.2kW			(29)
2A LX	15	Chauvet Rogue R1 Wash	161w			(58)
2A LX	17	Martin Mac2000 Performance	1.2kW			(28)
1LX	2	Martin Mac2000 Performance	1.2kW			(23)
1LX	4	Chauvet Rogue R1 Wash	161w			(53)
1LX	6	Martin Mac2000 Performance	1.2kW			(22)
1LX	8	Chauvet Rogue R1 Wash	161w			(52)
1LX	10	Martin Mac Quatum Profile	750w			(10)
1LX	12	Chauvet Rogue R1 Wash	161w			(51)
1LX	14	Martin Mac2000 Performance	1.2kW			(21)
1LX	16	Chauvet Rogue R1 Wash	161w			(50)
1LX	18	Martin Mac2000 Performance	1.2kW			(20)
1LX SR TAIL DOWN	1	Altman PAR 64 MFL	1kW			(721)

N/C

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
1LX SR TAIL DOWN	2	Altman PAR 64 MFL	1kW			(722)
1LX SR TAIL DOWN	3	Altman PAR 64 MFL	1kW			(723)
1LX SR TAIL DOWN	4	Altman PAR 64 MFL	1kW			(724)
1LX SR TAIL DOWN	5	Altman PAR 64 MFL	1kW			(725)
2LX	14	Martin Mac2000 Performance	1.2kW			(25)
4 LX	1	ETC ColorSource Cyclight	160w			(600)
4 LX	3	ETC ColorSource Cyclight	160w			(601)
4 LX	5	ETC ColorSource Cyclight	160w			(602)
4 LX	7	ETC ColorSource Cyclight	160w			(603)
4 LX	9	ETC ColorSource Cyclight	160w			(604)
4 LX	11	ETC ColorSource Cyclight	160w			(605)
4 LX	13	ETC ColorSource Cyclight	160w			(606)
4 LX	15	ETC ColorSource Cyclight	160w			(607)
4 LX	17	ETC ColorSource Cyclight	160w			(608)

N/C

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
FOOTL IGHTS	1	USITT PAR MR-16 Birdie-WFL	65w			(750)
FOOTL IGHTS	2	USITT PAR MR-16 Birdie-WFL	65w			(751)
FOOTL IGHTS	3	USITT PAR MR-16 Birdie-WFL	65w			(752)
FOOTL IGHTS	4	USITT PAR MR-16 Birdie-WFL	65w			(753)
FOOTL IGHTS	5	USITT PAR MR-16 Birdie-WFL	65w			(754)
FOOTL IGHTS	6	USITT PAR MR-16 Birdie-WFL	65w			(755)
FOOTL IGHTS	7	USITT PAR MR-16 Birdie-WFL	65w			(756)
FOOTL IGHTS	8	USITT PAR MR-16 Birdie-WFL	65w			(757)
FOOTL IGHTS	9	USITT PAR MR-16 Birdie-WFL	65w			(758)
FOOTL IGHTS	10	USITT PAR MR-16 Birdie-WFL	65w			(759)
FOOTL IGHTS	11	USITT PAR MR-16 Birdie-WFL	65w			(760)
FOOTL IGHTS	12	USITT PAR MR-16 Birdie-WFL	65w			(761)
FOOTL IGHTS	13	USITT PAR MR-16 Birdie-WFL	65w			(762)
3LX SL TAIL DOWN	1	Altman PAR 64 MFL	1kW			(711)
3LX SL TAIL DOWN	2	Altman PAR 64 MFL	1kW			(712)

N/C

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
3LX SL TAIL DOWN	3	Altman PAR 64 MFL	1kW			(713)
3LX SL TAIL DOWN	4	Altman PAR 64 MFL	1kW			(714)
3LX SL TAIL DOWN	5	Altman PAR 64 MFL	1kW			(715)
1LX SL TAIL DOWN	1	Altman PAR 64 MFL	1kW			(701)
1LX SL TAIL DOWN	2	Altman PAR 64 MFL	1kW			(702)
1LX SL TAIL DOWN	3	Altman PAR 64 MFL	1kW			(703)
1LX SL TAIL DOWN	4	Altman PAR 64 MFL	1kW			(704)
1LX SL TAIL DOWN	5	Altman PAR 64 MFL	1kW			(705)
3LX SR TAIL DOWN	1	Altman PAR 64 MFL	1kW			(731)
3LX SR TAIL DOWN	2	Altman PAR 64 MFL	1kW			(732)
3LX SR TAIL DOWN	3	Altman PAR 64 MFL	1kW			(733)
3LX SR TAIL DOWN	4	Altman PAR 64 MFL	1kW			(734)
3LX SR TAIL DOWN	5	Altman PAR 64 MFL	1kW			(735)

N/C

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
FOH	1	ETC Source4	575w	HOUSE		(3000)
REAR		PARNet		LIGHTS		
-----						
FOH	2	ETC Source4	575w	HOUSE		(3000)
REAR		PARNet		LIGHTS		
-----						
FOH	3	ETC Source4	575w	HOUSE		(3000)
REAR		PARNet		LIGHTS		



## R132

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
BOX BOOM HL	1	ETC Source4 Zoom 15-30deg	575w		ROSCO 77805 LEAF BRKUP MED	(802)
BOX BOOM HL	2	ETC Source4 Zoom 15-30deg	575w		ROSCO 77805 LEAF BRKUP MED	(800)
BOX BOOM HL	3	ETC Source4 36deg	575w		APOLLO 3571-BR	(156)
BOX BOOM HL	4	ETC Source4 36deg	575w		APOLLO 3571-BR	(154)
BOX BOOM HL	5	ETC Source4 36deg	575w		APOLLO 3571-BR	(152)
BOX BOOM HL	6	ETC Source4 Zoom 15-30deg	575w		APOLLO 3571-BR	(162)
BOX BOOM HL	7	ETC Source4 Zoom 15-30deg	575w		APOLLO 3571-BR	(160)
BOX BOOM HL	8	ETC Source4 Zoom 25-50deg	575w		APOLLO 3571-BR	(158)
BOX BOOM HL	9	ETC Source4 Zoom 15-30deg	575w		ROSCO 78023 RANDOM LINES	(168)
BOX BOOM HL	10	ETC Source4 Zoom 15-30deg	575w		ROSCO 78023 RANDOM LINES	(166)
BOX BOOM HL	11	ETC Source4 Zoom 15-30deg	575w		ROSCO 78023 RANDOM LINES	(164)
BOX BOOM HL	12	ETC Source4 Zoom 25-50deg	575w		APOLLO 3571-BR	(174)
BOX BOOM HL	13	ETC Source4 Zoom 25-50deg	575w		APOLLO 3571-BR	(172)
BOX BOOM HL	14	ETC Source4 Zoom 25-50deg	575w		APOLLO 3571-BR	(170)
BOX BOOM HL	15	ETC Source4 26deg	575w		ROSCO 78023 RANDOM LINES	(180)

## R132

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
BOX BOOM HL	16	ETC Source4 26deg	575w		ROSCO 78023 RANDOM LINES	(178)
BOX BOOM HL	17	ETC Source4 26deg	575w		ROSCO 78023 RANDOM LINES	(176)
BOX BOOM HR	1	ETC Source4 Zoom 15-30deg	575w		ROSCO 77805 LEAF BRKUP MED	(801)
BOX BOOM HR	2	ETC Source4 Zoom 15-30deg	575w		ROSCO 77805 LEAF BRKUP MED	(803)
BOX BOOM HR	3	ETC Source4 36deg	575w		APOLLO 3571-BR	(151)
BOX BOOM HR	4	ETC Source4 36deg	575w		APOLLO 3571-BR	(153)
BOX BOOM HR	5	ETC Source4 36deg	575w		APOLLO 3571-BR	(155)
BOX BOOM HR	6	ETC Source4 Zoom 25-50deg	575w		APOLLO 3571-BR	(157)
BOX BOOM HR	7	ETC Source4 Zoom 15-30deg	575w		APOLLO 3571-BR	(159)
BOX BOOM HR	8	ETC Source4 Zoom 15-30deg	575w		APOLLO 3571-BR	(161)
BOX BOOM HR	9	ETC Source4 Zoom 15-30deg	575w		ROSCO 78023 RANDOM LINES	(163)
BOX BOOM HR	10	ETC Source4 Zoom 15-30deg	575w		ROSCO 78023 RANDOM LINES	(165)
BOX BOOM HR	11	ETC Source4 Zoom 15-30deg	575w		ROSCO 78023 RANDOM LINES	(167)
BOX BOOM HR	12	ETC Source4 Zoom 25-50deg	575w		APOLLO 3571-BR	(169)
BOX BOOM HR	13	ETC Source4 Zoom 25-50deg	575w		APOLLO 3571-BR	(171)

## R132

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
BOX BOOM HR	14	ETC Source4 Zoom 25-50deg	575w		APOLLO 3571-BR	(173)
BOX BOOM HR	15	ETC Source4 26deg	575w		ROSCO 78023 RANDOM LINES	(175)
BOX BOOM HR	16	ETC Source4 26deg	575w		ROSCO 78023 RANDOM LINES	(177)
BOX BOOM HR	17	ETC Source4 26deg	575w		ROSCO 78023 RANDOM LINES	(179)
3A LX	1	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(231)
3A LX	3	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(233)
3A LX	4	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(235)
3A LX	6	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(237)
3A LX	7	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(239)
3A LX	9	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(232)
3A LX	10	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(234)
3A LX	12	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(236)
3A LX	13	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(238)
3A LX	15	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(240)
3 LX	1	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(301)

R132

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
3 LX	2	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(302)
3 LX	3	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(303)
3 LX	4	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(304)
3 LX	5	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(305)
3 LX	6	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(306)
3 LX	8	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(307)
3 LX	9	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(308)
3 LX	10	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(309)
3 LX	11	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(310)
3 LX	12	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(311)
3 LX	13	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(312)
2 LX	1	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(211)
2 LX	3	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(213)
2 LX	5	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(215)
2 LX	7	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(217)

R132

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
2 LX	11	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(212)
2 LX	13	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(214)
2 LX	15	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(216)
2 LX	17	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(218)
2 LX	19	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(220)
2A LX	1	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(221)
2A LX	3	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(223)
2A LX	5	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(225)
2A LX	7	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(227)
2A LX	9	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(229)
2A LX	10	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(222)
2A LX	12	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(224)
2A LX	14	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(226)
2A LX	16	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(228)
2A LX	18	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(230)

R132

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
1LX	1	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(201)
1LX	3	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(203)
1LX	5	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(205)
1LX	7	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(207)
1LX	9	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(209)
1LX	9	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(219)
1LX	11	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(202)
1LX	13	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(204)
1LX	15	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(206)
1LX	17	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(208)
1LX	19	ETC Source4 36deg	575w		ROSCO 78023 RANDOM LINES	(210)
4 LX	2	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(313)
4 LX	4	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(314)
4 LX	6	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(315)
4 LX	8	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(316)

R132

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
4 LX	10	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(317)
4 LX	12	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(318)
4 LX	14	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(319)
4 LX	16	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(320)

R54, R119

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
FOH HI	1	ETC Source4 26deg	575w			(111)
FOH HI	2	ETC Source4 26deg	575w			(113)
FOH HI	3	ETC Source4 26deg	575w			(115)
FOH HI	4	ETC Source4 26deg	575w			(117)
FOH HI	5	ETC Source4 26deg	575w			(119)
FOH HI	6	ETC Source4 26deg	575w			(121)
FOH HI	7	ETC Source4 26deg	575w			(123)
FOH HI	8	ETC Source4 26deg	575w			(125)
FOH HI	9	ETC Source4 26deg	575w			(127)
FOH HI	10	ETC Source4 26deg	575w			(129)
FOH HI	11	ETC Source4 26deg	575w			(131)
FOH HI	12	ETC Source4 26deg	575w			(133)
FOH HI	13	ETC Source4 26deg	575w			(135)
FOH HI	14	ETC Source4 26deg	575w			(137)
FOH LO	1	ETC Source4 19deg	575w			(112)



R54, R119

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
FOH LO	2	ETC Source4 19deg	575w			(114)
FOH LO	3	ETC Source4 19deg	575w			(116)
FOH LO	4	ETC Source4 19deg	575w			(118)
FOH LO	5	ETC Source4 19deg	575w			(120)
FOH LO	6	ETC Source4 19deg	575w			(122)
FOH LO	7	ETC Source4 19deg	575w			(124)
FOH LO	8	ETC Source4 19deg	575w			(126)
FOH LO	9	ETC Source4 19deg	575w			(128)
FOH LO	10	ETC Source4 19deg	575w			(130)
FOH LO	11	ETC Source4 19deg	575w			(132)
FOH LO	12	ETC Source4 19deg	575w			(134)
FOH LO	13	ETC Source4 19deg	575w			(136)
FOH LO	14	ETC Source4 19deg	575w			(138)

R132, R3318, L205, R05, R3314, R302

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
BACK OF HOUSE		Altman Comet Follow Spots	410w			
BACK OF HOUSE		Altman Comet Follow Spots	410w			

R104

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
GROUN DROW	1	Chauvet COLORado Batten 72 Tour	88w	GROUNDROW CYC		(620)
GROUN DROW	2	Chauvet COLORado Batten 72 Tour	88w	GROUNDROW CYC		(621)
GROUN DROW	3	Chauvet COLORado Batten 72 Tour	88w	GROUNDROW CYC		(622)
GROUN DROW	4	Chauvet COLORado Batten 72 Tour	88w	GROUNDROW CYC		(623)
GROUN DROW	5	Chauvet COLORado Batten 72 Tour	88w	GROUNDROW CYC		(624)

## R106

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
GROUN DROW	A3	Altman Zip Strip Cell		GROUNDROW CYC		(652)
GROUN DROW	B3	Altman Zip Strip Cell		GROUNDROW CYC		(652)
GROUN DROW	C3	Altman Zip Strip Cell		GROUNDROW CYC		(652)
GROUN DROW	D3	Altman Zip Strip Cell		GROUNDROW CYC		(652)
GROUN DROW	E3	Altman Zip Strip Cell		GROUNDROW CYC		(652)
GROUN DROW	F3	Altman Zip Strip Cell		GROUNDROW CYC		(652)

## R21

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
GROUN DROW	A2	Altman Zip Strip Cell		GROUNDROW CYC		(651)
GROUN DROW	B2	Altman Zip Strip Cell		GROUNDROW CYC		(651)
GROUN DROW	C2	Altman Zip Strip Cell		GROUNDROW CYC		(651)
GROUN DROW	D2	Altman Zip Strip Cell		GROUNDROW CYC		(651)
GROUN DROW	E2	Altman Zip Strip Cell		GROUNDROW CYC		(651)
GROUN DROW	F2	Altman Zip Strip Cell		GROUNDROW CYC		(651)

R80

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
GROUN DROW	A1	Altman Zip Strip Cell		GROUNDROW CYC		(650)
GROUN DROW	B1	Altman Zip Strip Cell		GROUNDROW CYC		(650)
GROUN DROW	C1	Altman Zip Strip Cell		GROUNDROW CYC		(650)
GROUN DROW	D1	Altman Zip Strip Cell		GROUNDROW CYC		(650)
GROUN DROW	E1	Altman Zip Strip Cell		GROUNDROW CYC		(650)
GROUN DROW	F1	Altman Zip Strip Cell		GROUNDROW CYC		(650)

R119, R361, R316,R337, R367

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
ROVER BOOM 1 SR	1	ETC Source4 36deg	575w			(404)
ROVER BOOM 1 SR	3	ETC Source4 36deg	575w			(402)
DECK BOOM 2 SR	1	ETC Source4 36deg	575w			(408)
DECK BOOM 2 SR	3	ETC Source4 36deg	575w			(406)
DECK BOOM 3 SR	1	ETC Source4 36deg	575w			(412)
DECK BOOM 3 SR	3	ETC Source4 36deg	575w			(410)
ROVER BOOM 1 SL	1	ETC Source4 36deg	575w			(403)
ROVER BOOM 1 SL	3	ETC Source4 36deg	575w			(401)
DECK BOOM 2 SL	1	ETC Source4 36deg	575w			(407)
DECK BOOM 2 SL	3	ETC Source4 36deg	575w			(405)
DECK BOOM 3 SL	1	ETC Source4 36deg	575w			(411)
DECK BOOM 3 SL	3	ETC Source4 36deg	575w			(409)

RGBW

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
SL	1	15ft LED Tape		PROC. LED TAPE SL		(1000)
SL	2	15ft LED Tape		PROC. LED TAPE SL		(1000)
SR	1	15ft LED Tape		PROC. LED TAPE SR		(1002)
SR	2	15ft LED Tape		PROC. LED TAPE SR		(1002)
TOP	1	15ft LED Tape		PROC. LED TAPE TOP		(1001)
TOP	1	15ft LED Tape		PROC. LED TAPE TOP		(1001)
TOP	2	15ft LED Tape		PROC. LED TAPE TOP		(1001)
TOP	2	15ft LED Tape		PROC. LED TAPE TOP		(1001)
TOP	3	15ft LED Tape		PROC. LED TAPE TOP		(1001)
TOP	3	15ft LED Tape		PROC. LED TAPE TOP		(1001)

N/A

Pos	U#	Type & Acc	Load	Purpose	Gobo	Chan
DECK	1	Chauvet AmHAZE Whisper	1.07kW	HAZER		(2000)

LD: CHRISTIAN SPECHT

(229) 630-3209

ME: ERIC NELSON

---

TABLE OF CONTENTS

ROSCO 78023 RANDOM LINES .....	1	ROSCO 77805 LEAF BRKUP MED ...	5
ROSCO 78023 LEAF BRKUP MED ...	4	APOLLO 3571-BR .....	6

ROSCO 78023 RANDOM LINES

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
BOX BOOM HL	9	ETC Source4 Zoom 15-30deg	575w		R132	(168)
BOX BOOM HL	10	ETC Source4 Zoom 15-30deg	575w		R132	(166)
BOX BOOM HL	11	ETC Source4 Zoom 15-30deg	575w		R132	(164)
BOX BOOM HL	15	ETC Source4 26deg	575w		R132	(180)
BOX BOOM HL	16	ETC Source4 26deg	575w		R132	(178)
BOX BOOM HL	17	ETC Source4 26deg	575w		R132	(176)
BOX BOOM HR	9	ETC Source4 Zoom 15-30deg	575w		R132	(163)
BOX BOOM HR	10	ETC Source4 Zoom 15-30deg	575w		R132	(165)
BOX BOOM HR	11	ETC Source4 Zoom 15-30deg	575w		R132	(167)
BOX BOOM HR	15	ETC Source4 26deg	575w		R132	(175)
BOX BOOM HR	16	ETC Source4 26deg	575w		R132	(177)
BOX BOOM HR	17	ETC Source4 26deg	575w		R132	(179)
3A LX	1	ETC Source4 36deg	575w		R132	(231)
3A LX	3	ETC Source4 36deg	575w		R132	(233)
3A LX	4	ETC Source4 36deg	575w		R132	(235)
3A LX	6	ETC Source4 36deg	575w		R132	(237)



ROSCO 78023 RANDOM LINES

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
3A LX	7	ETC Source4 36deg	575w		R132	(239)
3A LX	9	ETC Source4 36deg	575w		R132	(232)
3A LX	10	ETC Source4 36deg	575w		R132	(234)
3A LX	12	ETC Source4 36deg	575w		R132	(236)
3A LX	13	ETC Source4 36deg	575w		R132	(238)
3A LX	15	ETC Source4 36deg	575w		R132	(240)
2 LX	1	ETC Source4 36deg	575w		R132	(211)
2 LX	3	ETC Source4 36deg	575w		R132	(213)
2 LX	5	ETC Source4 36deg	575w		R132	(215)
2 LX	7	ETC Source4 36deg	575w		R132	(217)
2 LX	11	ETC Source4 36deg	575w		R132	(212)
2 LX	13	ETC Source4 36deg	575w		R132	(214)
2 LX	15	ETC Source4 36deg	575w		R132	(216)
2 LX	17	ETC Source4 36deg	575w		R132	(218)
2 LX	19	ETC Source4 36deg	575w		R132	(220)
2A LX	1	ETC Source4 36deg	575w		R132	(221)
2A LX	3	ETC Source4 36deg	575w		R132	(223)
2A LX	5	ETC Source4 36deg	575w		R132	(225)
2A LX	7	ETC Source4 36deg	575w		R132	(227)
2A LX	9	ETC Source4 36deg	575w		R132	(229)
2A LX	10	ETC Source4 36deg	575w		R132	(222)
2A LX	12	ETC Source4 36deg	575w		R132	(224)
2A LX	14	ETC Source4 36deg	575w		R132	(226)
2A LX	16	ETC Source4 36deg	575w		R132	(228)
2A LX	18	ETC Source4 36deg	575w		R132	(230)

ROSCO 78023 RANDOM LINES

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
1LX	1	ETC Source4 36deg	575w		R132	(201)
1LX	3	ETC Source4 36deg	575w		R132	(203)
1LX	5	ETC Source4 36deg	575w		R132	(205)
1LX	7	ETC Source4 36deg	575w		R132	(207)
1LX	9	ETC Source4 36deg	575w		R132	(209)
1LX	9	ETC Source4 36deg	575w		R132	(219)
1LX	11	ETC Source4 36deg	575w		R132	(202)
1LX	13	ETC Source4 36deg	575w		R132	(204)
1LX	15	ETC Source4 36deg	575w		R132	(206)
1LX	17	ETC Source4 36deg	575w		R132	(208)
1LX	19	ETC Source4 36deg	575w		R132	(210)

ROSCO 78023 LEAF BRKUP MED

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
3 LX	1	ETC Source4 26deg	575w		R132	(301)
3 LX	2	ETC Source4 26deg	575w		R132	(302)
3 LX	3	ETC Source4 26deg	575w		R132	(303)
3 LX	4	ETC Source4 26deg	575w		R132	(304)
3 LX	5	ETC Source4 26deg	575w		R132	(305)
3 LX	6	ETC Source4 26deg	575w		R132	(306)
3 LX	8	ETC Source4 26deg	575w		R132	(307)
3 LX	9	ETC Source4 26deg	575w		R132	(308)
3 LX	10	ETC Source4 26deg	575w		R132	(309)
3 LX	11	ETC Source4 26deg	575w		R132	(310)
3 LX	12	ETC Source4 26deg	575w		R132	(311)
3 LX	13	ETC Source4 26deg	575w		R132	(312)
4 LX	2	ETC Source4 26deg	575w		R132	(313)
4 LX	4	ETC Source4 26deg	575w		R132	(314)
4 LX	6	ETC Source4 26deg	575w		R132	(315)
4 LX	8	ETC Source4 26deg	575w		R132	(316)
4 LX	10	ETC Source4 26deg	575w		R132	(317)
4 LX	12	ETC Source4 26deg	575w		R132	(318)
4 LX	14	ETC Source4 26deg	575w		R132	(319)
4 LX	16	ETC Source4 26deg	575w		R132	(320)

ROSCO 77805 LEAF BRKUP MED

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
BOX BOOM HL	1	ETC Source4 Zoom 15- 30deg	575w		R132	(802)
BOX BOOM HL	2	ETC Source4 Zoom 15- 30deg	575w		R132	(800)
BOX BOOM HR	1	ETC Source4 Zoom 15- 30deg	575w		R132	(801)
BOX BOOM HR	2	ETC Source4 Zoom 15- 30deg	575w		R132	(803)

APOLLO 3571-BR

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
BOX BOOM HL	3	ETC Source4 36deg	575w		R132	(156)
BOX BOOM HL	4	ETC Source4 36deg	575w		R132	(154)
BOX BOOM HL	5	ETC Source4 36deg	575w		R132	(152)
BOX BOOM HL	6	ETC Source4 Zoom 15-30deg	575w		R132	(162)
BOX BOOM HL	7	ETC Source4 Zoom 15-30deg	575w		R132	(160)
BOX BOOM HL	8	ETC Source4 Zoom 25-50deg	575w		R132	(158)
BOX BOOM HL	12	ETC Source4 Zoom 25-50deg	575w		R132	(174)
BOX BOOM HL	13	ETC Source4 Zoom 25-50deg	575w		R132	(172)
BOX BOOM HL	14	ETC Source4 Zoom 25-50deg	575w		R132	(170)
BOX BOOM HR	3	ETC Source4 36deg	575w		R132	(151)
BOX BOOM HR	4	ETC Source4 36deg	575w		R132	(153)
BOX BOOM HR	5	ETC Source4 36deg	575w		R132	(155)
BOX BOOM HR	6	ETC Source4 Zoom 25-50deg	575w		R132	(157)
BOX BOOM HR	7	ETC Source4 Zoom 15-30deg	575w		R132	(159)
BOX BOOM HR	8	ETC Source4 Zoom 15-30deg	575w		R132	(161)

APOLLO 3571-BR

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
BOX BOOM HR	12	ETC Source4 Zoom 25- 50deg	575w		R132	(169)
BOX BOOM HR	13	ETC Source4 Zoom 25- 50deg	575w		R132	(171)
BOX BOOM HR	14	ETC Source4 Zoom 25- 50deg	575w		R132	(173)

Items WITHOUT Gobo

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
BOX BOOM HL	18	Chauvet Rogue R1 Wash	161w		N/C	(40)
BOX BOOM HR	18	Chauvet Rogue R1 Wash	161w		N/C	(41)
ROVER BOOM 1 SR	1	ETC Source4 36deg	575w		R119, R361, R316,R337, R367	(404)
ROVER BOOM 1 SR	2	Chauvet COLORado Batten 72 Tour	88w		N/C	(502)
ROVER BOOM 1 SR	3	ETC Source4 36deg	575w		R119, R361, R316,R337, R367	(402)
DECK BOOM 2 SR	1	ETC Source4 36deg	575w		R119, R361, R316,R337, R367	(408)
DECK BOOM 2 SR	2	Chauvet COLORado Batten 72 Tour	88w		N/C	(504)
DECK BOOM 2 SR	3	ETC Source4 36deg	575w		R119, R361, R316,R337, R367	(406)
DECK BOOM 3 SR	1	ETC Source4 36deg	575w		R119, R361, R316,R337, R367	(412)
DECK BOOM 3 SR	2	Chauvet COLORado Batten 72 Tour	88w		N/C	(506)
DECK BOOM 3 SR	3	ETC Source4 36deg	575w		R119, R361, R316,R337, R367	(410)
ROVER BOOM 1 SL	1	ETC Source4 36deg	575w		R119, R361, R316,R337, R367	(403)
ROVER BOOM 1 SL	2	Chauvet COLORado Batten 72 Tour	88w		N/C	(501)
ROVER BOOM 1 SL	3	ETC Source4 36deg	575w		R119, R361, R316,R337, R367	(401)

Items WITHOUT Gobo

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
DECK BOOM 2 SL	1	ETC Source4 36deg	575w		R119, R361, R316, R337, R367	(407)
DECK BOOM 2 SL	2	Chauvet COLORado Batten 72 Tour	88w		N/C	(503)
DECK BOOM 2 SL	3	ETC Source4 36deg	575w		R119, R361, R316, R337, R367	(405)
DECK BOOM 3 SL	1	ETC Source4 36deg	575w		R119, R361, R316, R337, R367	(411)
DECK BOOM 3 SL	2	Chauvet COLORado Batten 72 Tour	88w		N/C	(505)
DECK BOOM 3 SL	3	ETC Source4 36deg	575w		R119, R361, R316, R337, R367	(409)
3A LX	2	Martin Mac2000 Performance	1.2kW		N/C	(35)
3A LX	5	Martin Mac2000 Performance	1.2kW		N/C	(34)
3A LX	8	Chauvet Rogue R1 Wash	161w		N/C	(62)
3A LX	11	Martin Mac2000 Performance	1.2kW		N/C	(33)
3A LX	14	Martin Mac2000 Performance	1.2kW		N/C	(32)
3 LX	7	Martin Mac Quatum Profile	750w		N/C	(12)
FOH HI	1	ETC Source4 26deg	575w		R54, R119	(111)
FOH HI	2	ETC Source4 26deg	575w		R54, R119	(113)
FOH HI	3	ETC Source4 26deg	575w		R54, R119	(115)











Items WITHOUT Gobo

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
FOOTLIGH TS	4	USITT PAR MR-16 Birdie-WFL	65w		N/C	(753)
FOOTLIGH TS	5	USITT PAR MR-16 Birdie-WFL	65w		N/C	(754)
FOOTLIGH TS	6	USITT PAR MR-16 Birdie-WFL	65w		N/C	(755)
FOOTLIGH TS	7	USITT PAR MR-16 Birdie-WFL	65w		N/C	(756)
FOOTLIGH TS	8	USITT PAR MR-16 Birdie-WFL	65w		N/C	(757)
FOOTLIGH TS	9	USITT PAR MR-16 Birdie-WFL	65w		N/C	(758)
FOOTLIGH TS	10	USITT PAR MR-16 Birdie-WFL	65w		N/C	(759)
FOOTLIGH TS	11	USITT PAR MR-16 Birdie-WFL	65w		N/C	(760)
FOOTLIGH TS	12	USITT PAR MR-16 Birdie-WFL	65w		N/C	(761)
FOOTLIGH TS	13	USITT PAR MR-16 Birdie-WFL	65w		N/C	(762)
BACK OF HOUSE		Altman Comet Follow Spots	410w		R132, R3318, L205, R05, R3314, R302	
BACK OF HOUSE		Altman Comet Follow Spots	410w		R132, R3318, L205, R05, R3314, R302	
3LX SL TAIL DOWN	1	Altman PAR 64 MFL	1kW		N/C	(711)
3LX SL TAIL DOWN	2	Altman PAR 64 MFL	1kW		N/C	(712)

Items WITHOUT Gobo

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
3LX SL TAIL DOWN	3	Altman PAR 64 MFL	1kW		N/C	(713)
3LX SL TAIL DOWN	4	Altman PAR 64 MFL	1kW		N/C	(714)
3LX SL TAIL DOWN	5	Altman PAR 64 MFL	1kW		N/C	(715)
1LX SL TAIL DOWN	1	Altman PAR 64 MFL	1kW		N/C	(701)
1LX SL TAIL DOWN	2	Altman PAR 64 MFL	1kW		N/C	(702)
1LX SL TAIL DOWN	3	Altman PAR 64 MFL	1kW		N/C	(703)
1LX SL TAIL DOWN	4	Altman PAR 64 MFL	1kW		N/C	(704)
1LX SL TAIL DOWN	5	Altman PAR 64 MFL	1kW		N/C	(705)
3LX SR TAIL DOWN	1	Altman PAR 64 MFL	1kW		N/C	(731)
3LX SR TAIL DOWN	2	Altman PAR 64 MFL	1kW		N/C	(732)
3LX SR TAIL DOWN	3	Altman PAR 64 MFL	1kW		N/C	(733)
3LX SR TAIL DOWN	4	Altman PAR 64 MFL	1kW		N/C	(734)
3LX SR TAIL DOWN	5	Altman PAR 64 MFL	1kW		N/C	(735)
DECK	1	Chauvet AmHAZE Whisper	1.07kW	HAZER	N/A	(2000)
GROUNDROW	1	Chauvet COLORado Batten 72 Tour	88w	GROUNDROW CYC	R104	(620)
GROUNDROW	2	Chauvet COLORado Batten 72 Tour	88w	GROUNDROW CYC	R104	(621)



Items WITHOUT Gobo

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
GROUNDROW	E1	Altman Zip Strip Cell		GROUNDROW CYC	R80	(650)
GROUNDROW	E2	Altman Zip Strip Cell		GROUNDROW CYC	R21	(651)
GROUNDROW	E3	Altman Zip Strip Cell		GROUNDROW CYC	R106	(652)
GROUNDROW	F1	Altman Zip Strip Cell		GROUNDROW CYC	R80	(650)
GROUNDROW	F2	Altman Zip Strip Cell		GROUNDROW CYC	R21	(651)
GROUNDROW	F3	Altman Zip Strip Cell		GROUNDROW CYC	R106	(652)
FOH REAR	1	ETC Source4 PARNel	575w	HOUSE LIGHTS	N/C	(3000)
FOH REAR	2	ETC Source4 PARNel	575w	HOUSE LIGHTS	N/C	(3000)
FOH REAR	3	ETC Source4 PARNel	575w	HOUSE LIGHTS	N/C	(3000)
SL	1	15ft LED Tape		PROC. LED TAPE SL	RGBW	(1000)
SL	2	15ft LED Tape		PROC. LED TAPE SL	RGBW	(1000)
SR	1	15ft LED Tape		PROC. LED TAPE SR	RGBW	(1002)
SR	2	15ft LED Tape		PROC. LED TAPE SR	RGBW	(1002)
TOP	1	15ft LED Tape		PROC. LED TAPE TOP	RGBW	(1001)
TOP	1	15ft LED Tape		PROC. LED TAPE TOP	RGBW	(1001)
TOP	2	15ft LED Tape		PROC. LED TAPE TOP	RGBW	(1001)
TOP	2	15ft LED Tape		PROC. LED TAPE TOP	RGBW	(1001)
TOP	3	15ft LED Tape		PROC. LED TAPE TOP	RGBW	(1001)
TOP	3	15ft LED Tape		PROC. LED TAPE TOP	RGBW	(1001)