

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(1)	FOH LO	9	Martin Mac Quatum Profile 750w		
(10)	1LX	9	Martin Mac Quatum Profile 750w		N/C
(11)	2 LX	13	Martin Mac Quatum Profile 750w		N/C
(12)	2 LX	9	Martin Mac Quatum Profile 750w		N/C
(13)	2 LX	5	Martin Mac Quatum Profile 750w		N/C
(14)	3 LX	6	Martin Mac Quatum Profile 750w		N/C
(20)	1LX	13	Martin Mac2000 Performance 1.2kW		N/C
(21)	1LX	5	Martin Mac2000 Performance 1.2kW		N/C
(22)	2A LX	13	Martin Mac2000 Performance 1.2kW		N/C
(23)	2A LX	5	Martin Mac2000 Performance 1.2kW		N/C
(24)	3 LX	9	Martin Mac2000 Performance 1.2kW		N/C
(25)	3 LX	3	Martin Mac2000 Performance 1.2kW		N/C
(30)	BOX BOOM HL	18	Chauvet Rogue R1 Wash 161w		N/C
(31)	BOX BOOM HR	18	Chauvet Rogue R1 Wash 161w		N/C
(40)	1LX	15	Chauvet Rogue R1 Wash 161w		N/C
(41)	1LX	11	Chauvet Rogue R1 Wash 161w		N/C
(42)	1LX	7	Chauvet Rogue R1 Wash 161w		N/C
(43)	1LX	3	Chauvet Rogue R1 Wash 161w		N/C
(44)	2 LX	15	Chauvet Rogue R1 Wash 161w		N/C
(45)	2 LX	11	Chauvet Rogue R1 Wash 161w		N/C
(46)	2 LX	7	Chauvet Rogue R1 Wash 161w		N/C
(47)	2 LX	3	Chauvet Rogue R1 Wash 161w		N/C

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(48)	2A LX	15	Chauvet Rogue R1 Wash 161w		N/C
(49)	2A LX	11	Chauvet Rogue R1 Wash 161w		N/C
(50)	2A LX	7	Chauvet Rogue R1 Wash 161w		N/C
(51)	2A LX	3	Chauvet Rogue R1 Wash 161w		N/C
(52)	3A LX	6	Chauvet Rogue R1 Wash 161w		
(111)	FOH HI	1	ETC Source4 26deg 575w	FRONT FILL	R54, R119
(112)	FOH LO	2	ETC Source4 19deg 575w	FRONT FILL	R54, R119
(113)	FOH HI	2	ETC Source4 26deg 575w	FRONT FILL	R54, R119
(114)	FOH LO	3	ETC Source4 19deg 575w	FRONT FILL	R54, R119
(115)	FOH HI	3	ETC Source4 26deg 575w	FRONT FILL	R54, R119
(116)	FOH LO	4	ETC Source4 19deg 575w	FRONT FILL	R54, R119
(117)	FOH HI	4	ETC Source4 26deg 575w	FRONT FILL	R54, R119
(118)	FOH LO	5	ETC Source4 19deg 575w	FRONT FILL	R54, R119
(119)	FOH HI	5	ETC Source4 26deg 575w	FRONT FILL	R54, R119
(120)	FOH LO	6	ETC Source4 19deg 575w	FRONT FILL	R54, R119
(121)	FOH HI	6	ETC Source4 26deg 575w	FRONT FILL	R54, R119
(122)	FOH LO	7	ETC Source4 19deg 575w	FRONT FILL	R54, R119
(123)	FOH HI	7	ETC Source4 26deg 575w	FRONT FILL	R54, R119
(124)	FOH LO	8	ETC Source4 19deg 575w	FRONT FILL	R54, R119
(125)	FOH HI	8	ETC Source4 26deg 575w	FRONT FILL	R54, R119
(126)	FOH LO	10	ETC Source4 19deg 575w	FRONT FILL	R54, R119
(127)	FOH HI	9	ETC Source4 26deg 575w	FRONT FILL	R54, R119
(128)	FOH LO	11	ETC Source4 19deg 575w	FRONT FILL	R54, R119
(129)	FOH HI	10	ETC Source4 26deg 575w	FRONT FILL	R54, R119
(130)	FOH LO	12	ETC Source4 19deg 575w	FRONT FILL	R54, R119
(131)	FOH HI	11	ETC Source4 26deg 575w	FRONT FILL	R54, R119
(132)	FOH LO	13	ETC Source4 19deg 575w	FRONT FILL	R54, R119
(133)	FOH HI	12	ETC Source4 26deg 575w	FRONT FILL	R54, R119

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(134)	FOH LO	14	ETC Source4 19deg 575w	FRONT FILL	R54, R119
(135)	FOH HI	13	ETC Source4 26deg 575w	FRONT FILL	R54, R119
(136)	FOH LO	15	ETC Source4 19deg 575w	FRONT FILL	R54, R119
(137)	FOH HI	14	ETC Source4 26deg 575w	FRONT FILL	R54, R119
(138)	FOH LO	16	ETC Source4 19deg 575w	FRONT FILL	R54, R119
(151)	SL PROCENIUM WALL	1	ETC Source4 26deg 575w		R183+R119
	"	3	"		"
(152)	SR PROCENIUM WALL	1	ETC Source4 26deg 575w		R183+R119
	"	3	"		"
(155)	SL PROCENIUM WALL	2	ETC Source4 26deg 575w		R Ecolour 025+ R119
	"	4	"		"
(156)	SR PROCENIUM WALL	2	ETC Source4 26deg 575w		R Ecolour 025+ R119
	"	4	"		"
(157)	BOX BOOM HR	6	ETC Source4 Zoom 25-50deg 575w		R132, T:APOLLO 3571-BR
	"	9	ETC Source4 Zoom 15-30deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(158)	BOX BOOM HL	8	ETC Source4 Zoom 25-50deg 575w		R132, T:APOLLO 3571-BR
	"	11	ETC Source4 Zoom 15-30deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(159)	BOX BOOM HR	7	ETC Source4 Zoom 15-30deg 575w		R132, T:APOLLO 3571-BR
	"	10	"		R132, T:ROSCO 78023 RANDOM LINES

5/21/22

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(160)	BOX BOOM HL	7	ETC Source4 Zoom 15-30deg 575w		R132, T:APOLLO 3571-BR
	"	10	"		R132, T:ROSCO 78023 RANDOM LINES
(161)	BOX BOOM HR	8	ETC Source4 Zoom 15-30deg 575w		R132, T:APOLLO 3571-BR
	"	11	"		R132, T:ROSCO 78023 RANDOM LINES
(162)	BOX BOOM HL	6	ETC Source4 Zoom 15-30deg 575w		R132, T:APOLLO 3571-BR
	"	9	"		R132, T:ROSCO 78023 RANDOM LINES
(169)	BOX BOOM HR	12	ETC Source4 Zoom 25-50deg 575w		R132, T:APOLLO 3571-BR
	"	15	ETC Source4 26deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(170)	BOX BOOM HL	14	ETC Source4 Zoom 25-50deg 575w		R132, T:APOLLO 3571-BR
	"	17	ETC Source4 26deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(171)	BOX BOOM HR	13	ETC Source4 Zoom 25-50deg 575w		R132, T:APOLLO 3571-BR
	"	16	ETC Source4 26deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(172)	BOX BOOM HL	13	ETC Source4 Zoom 25-50deg 575w		R132, T:APOLLO 3571-BR
	"	16	ETC Source4 26deg 575w		R132, T:ROSCO 78023 RANDOM LINES

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(173)	BOX BOOM HR	14	ETC Source4 Zoom 25-50deg 575w		R132, T:APOLLO 3571-BR
	"	17	ETC Source4 26deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(174)	BOX BOOM HL	12	ETC Source4 Zoom 25-50deg 575w		R132, T:APOLLO 3571-BR
	"	15	ETC Source4 26deg 575w		R132, T:ROSCO 78023 RANDOM LINES
(201)	1LX	1	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(202)	1LX	10	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(203)	1LX	2	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(204)	1LX	12	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(205)	1LX	4	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(206)	1LX	14	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(207)	1LX	6	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(208)	1LX	16	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(209)	1LX	8	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(210)	1LX	17	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(211)	2 LX	1	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(212)	2 LX	10	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(213)	2 LX	2	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(214)	2 LX	12	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(215)	2 LX	4	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(216)	2 LX	14	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(217)	2 LX	6	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(218)	2 LX	16	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(219)	2 LX	8	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(220)	2 LX	17	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(221)	2A LX	1	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(222)	2A LX	10	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(223)	2A LX	2	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(224)	2A LX	12	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(225)	2A LX	4	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(226)	2A LX	14	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(227)	2A LX	6	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(228)	2A LX	16	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(229)	2A LX	8	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(230)	2A LX	17	ETC Source4 36deg 575w		T:76601 CRAZY BREAKUP
(231)	3A LX	1	ETC Source4 36deg 575w		

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(232)	3A LX	7	ETC Source4 36deg 575w		
(233)	3A LX	2	ETC Source4 36deg 575w		
(234)	3A LX	8	ETC Source4 36deg 575w		
(235)	3A LX	3	ETC Source4 36deg 575w		
(236)	3A LX	9	ETC Source4 36deg 575w		
(237)	3A LX	4	ETC Source4 36deg 575w		
(238)	3A LX	10	ETC Source4 36deg 575w		
(239)	3A LX	5	ETC Source4 36deg 575w		
(240)	3A LX	11	ETC Source4 36deg 575w		
(313)	4 LX	2	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(314)	4 LX	4	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(315)	4 LX	6	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(316)	4 LX	8	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(317)	4 LX	10	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(318)	4 LX	12	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(319)	4 LX	14	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(320)	4 LX	16	ETC Source4 26deg 575w		R132, T:ROSCO 78023 LEAF BRKUP MED
(401)	DECK BOOM 1 SL	3	ETC Source4 36deg 575w		R183+R119
(402)	DECK BOOM 1 SR	3	ETC Source4 36deg 575w		R183+R119

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(403)	DECK BOOM 1 SL	1	ETC Source4 36deg 575w		R Ecolour 025+ R119
(404)	DECK BOOM 1 SR	1	ETC Source4 36deg 575w		R Ecolour 025+ R119
(405)	DECK BOOM 2 SL	3	ETC Source4 36deg 575w		R337+R119, R361+R119
(406)	DECK BOOM 2 SR	3	ETC Source4 36deg 575w		R337+R119, R361+R119
(407)	DECK BOOM 2 SL	2	ETC Source4 26deg 575w		R183+R119
(408)	DECK BOOM 2 SR	2	ETC Source4 26deg 575w		R183+R119
(409)	DECK BOOM 2 SL	1	ETC Source4 36deg 575w		R Ecolour 025+ R119
(410)	DECK BOOM 2 SR	1	ETC Source4 36deg 575w		R Ecolour 025+ R119
(411)	DECK BOOM 3 SL	3	ETC Source4 36deg 575w		R337+R119, R361+R119
(412)	DECK BOOM 3 SR	3	ETC Source4 36deg 575w		R337+R119, R361+R119
(413)	DECK BOOM 3 SL	2	ETC Source4 26deg 575w		R183+R119
(414)	DECK BOOM 3 SR	2	ETC Source4 26deg 575w		R183+R119
(415)	DECK BOOM 3 SL	1	ETC Source4 36deg 575w		R Ecolour 025+ R119
(416)	DECK BOOM 3 SR	1	ETC Source4 36deg 575w		R Ecolour 025+ R119
(501)	DECK BOOM 1 SL	2	Chauvet COLORado Batten 72 Tour 88w		N/C
(502)	DECK BOOM 1 SR	2	Chauvet COLORado Batten 72 Tour 88w		N/C

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(550)	3 LX	11	ETC CE Source4 PAR MCM (WFL) 575w		R183
(551)	3 LX	10	ETC CE Source4 PAR MCM (WFL) 575w		R14
(552)	3 LX	8	ETC CE Source4 PAR MCM (WFL) 575w		R183
(553)	3 LX	7	ETC CE Source4 PAR MCM (WFL) 575w		R14
(554)	3 LX	5	ETC CE Source4 PAR MCM (WFL) 575w		R183
(555)	3 LX	4	ETC CE Source4 PAR MCM (WFL) 575w		R14
(556)	3 LX	2	ETC CE Source4 PAR MCM (WFL) 575w		R183
(557)	3 LX	1	ETC CE Source4 PAR MCM (WFL) 575w		R183
(600)	4 LX	1	ETC ColorSource Cyclight 160w		N/C
(601)	4 LX	3	ETC ColorSource Cyclight 160w		N/C
(602)	4 LX	5	ETC ColorSource Cyclight 160w		N/C
(603)	4 LX	7	ETC ColorSource Cyclight 160w		N/C
(604)	4 LX	9	ETC ColorSource Cyclight 160w		N/C
(605)	4 LX	11	ETC ColorSource Cyclight 160w		N/C
(606)	4 LX	13	ETC ColorSource Cyclight 160w		N/C
(607)	4 LX	15	ETC ColorSource Cyclight 160w		N/C
(608)	4 LX	17	ETC ColorSource Cyclight 160w		N/C, T:76601
(750)	FOOTLIGH TS	1	USITT PAR MR-16 Birdie-WFL 65w	FOOTLIGHTS	N/C
	"	2	"	"	"
	"	3	"	"	"

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(751)	FOOTLIGH TS	4	USITT PAR MR-16 Birdie-WFL 65w	FOOTLIGHTS	N/C
	"	5	"	"	"
	"	7	"	"	"
(752)	FOOTLIGH TS	8	USITT PAR MR-16 Birdie-WFL 65w	FOOTLIGHTS	N/C
(753)	FOOTLIGH TS	9	USITT PAR MR-16 Birdie-WFL 65w	FOOTLIGHTS	N/C
	"	14	"	"	"
	"	15	"	"	"
(754)	FOOTLIGH TS	16	USITT PAR MR-16 Birdie-WFL 65w	FOOTLIGHTS	N/C
	"	17	"	"	"
	"	18	"	"	"
(800)	FOOTLIGH TS	6	ETC Source4 Mini 36deg 50w	FOOTLIGHT SPECIAL	
(801)	FOOTLIGH TS	13	ETC Source4 Mini 36deg 50w	FOOTLIGHT SPECIAL	
(900)	GROUND ROW		Chauvet COLORado Batten 72 Tour 88w	CYC ^	R104
(901)	GROUND ROW		Chauvet COLORado Batten 72 Tour 88w	CYC ^	R104
(902)	GROUND ROW		Chauvet COLORado Batten 72 Tour 88w	CYC ^	R104
(903)	GROUND ROW		Chauvet COLORado Batten 72 Tour 88w	CYC ^	R104
(904)	GROUND ROW		Chauvet COLORado Batten 72 Tour 88w	CYC ^	R104
(905)	GROUND ROW		Chauvet COLORado Batten 72 Tour 88w	CYC ^	R104
(906)	GROUND ROW		Chauvet COLORado Batten 72 Tour 88w	CYC ^	R104

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
(907)	GROUNDRO OW		Chauvet COLORado Batten 72 Tour 88w	CYC ^	R104
(908)	GROUNDRO OW		Chauvet COLORado Batten 72 Tour 88w	CYC ^	R104
(3000)	FOH LO	1	ETC Source4 PARNeI 575w	HOUSE LIGHTS	N/C
	"	17	"	"	"
	FOH REAR	1	"	"	"
	"	2	"	"	"
	"	3	"	"	"

Items WITHOUT Channel

Chan	Position	U#	Inst Type & Access & Load	Purpose	Color & Gobo
	BACK OF HOUSE		Altman Comet Follow Spots 410w		R132, R3318, L205, R05, R3314, R302
	"		"		"

TABLE OF CONTENTS

1LX	1	4 LX	9
3A LX	2	FOH LO	10
2A LX	3	FOH HI	11
2 LX	4	FOH REAR	11
3 LX	5	FOOTLIGHTS	12
BOX BOOM HL	6	DECK BOOM 1 SR	13
BOX BOOM HR	7	DECK BOOM 1 SL	13
DECK BOOM 2 SR	8	BACK OF HOUSE	13
DECK BOOM 2 SL	8	SL PROCENIUM WALL	13
DECK BOOM 3 SL	8	SR PROCENIUM WALL	14
DECK BOOM 3 SR	8	GROUNDROW	14

1LX

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(201)		
2	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(203)		
3	Chauvet Rogue R1 Wash	161w		N/C	(43)		
4	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(205)		
5	Martin Mac2000 Performance	1.2kW		N/C	(21)		
6	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(207)		
7	Chauvet Rogue R1 Wash	161w		N/C	(42)		
8	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(209)		
9	Martin Mac Quatum Profile	750w		N/C	(10)		
10	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(202)		
11	Chauvet Rogue R1 Wash	161w		N/C	(41)		
12	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(204)		
13	Martin Mac2000 Performance	1.2kW		N/C	(20)		
14	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(206)		
15	Chauvet Rogue R1 Wash	161w		N/C	(40)		
16	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(208)		
17	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(210)		

3A LX

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 36deg	575w			(231)		
2	ETC Source4 36deg	575w			(233)		
3	ETC Source4 36deg	575w			(235)		
4	ETC Source4 36deg	575w			(237)		
5	ETC Source4 36deg	575w			(239)		
6	Chauvet Rogue R1 Wash	161w			(52)		
7	ETC Source4 36deg	575w			(232)		
8	ETC Source4 36deg	575w			(234)		
9	ETC Source4 36deg	575w			(236)		
10	ETC Source4 36deg	575w			(238)		
11	ETC Source4 36deg	575w			(240)		

2A LX

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(221)		
2	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(223)		
3	Chauvet Rogue R1 Wash	161w		N/C	(51)		
4	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(225)		
5	Martin Mac2000 Performance	1.2kW		N/C	(23)		
6	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(227)		
7	Chauvet Rogue R1 Wash	161w		N/C	(50)		
8	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(229)		
10	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(222)		
11	Chauvet Rogue R1 Wash	161w		N/C	(49)		
12	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(224)		
13	Martin Mac2000 Performance	1.2kW		N/C	(22)		
14	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(226)		
15	Chauvet Rogue R1 Wash	161w		N/C	(48)		
16	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(228)		
17	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(230)		

2 LX

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(211)		
2	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(213)		
3	Chauvet Rogue R1 Wash	161w		N/C	(47)		
4	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(215)		
5	Martin Mac Quatum Profile	750w		N/C	(13)		
6	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(217)		
7	Chauvet Rogue R1 Wash	161w		N/C	(46)		
8	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(219)		
9	Martin Mac Quatum Profile	750w		N/C	(12)		
10	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(212)		
11	Chauvet Rogue R1 Wash	161w		N/C	(45)		
12	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(214)		
13	Martin Mac Quatum Profile	750w		N/C	(11)		
14	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(216)		
15	Chauvet Rogue R1 Wash	161w		N/C	(44)		
16	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(218)		
17	ETC Source4 36deg	575w		T:76601 CRAZY BREAKUP	(220)		

3 LX

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC CE Source4 PAR MCM (WFL)	575w		R183	(557)		
2	ETC CE Source4 PAR MCM (WFL)	575w		R183	(556)		
3	Martin Mac2000 Performance	1.2kW		N/C	(25)		
4	ETC CE Source4 PAR MCM (WFL)	575w		R14	(555)		
5	ETC CE Source4 PAR MCM (WFL)	575w		R183	(554)		
6	Martin Mac Quatum Profile	750w		N/C	(14)		
7	ETC CE Source4 PAR MCM (WFL)	575w		R14	(553)		
8	ETC CE Source4 PAR MCM (WFL)	575w		R183	(552)		
9	Martin Mac2000 Performance	1.2kW		N/C	(24)		
10	ETC CE Source4 PAR MCM (WFL)	575w		R14	(551)		
11	ETC CE Source4 PAR MCM (WFL)	575w		R183	(550)		

BOX BOOM HL

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
6	ETC Source4 Zoom 15-30deg	575w		R132, T:APOLLO 3571-BR	(162)		
7	ETC Source4 Zoom 15-30deg	575w		R132, T:APOLLO 3571-BR	(160)		
8	ETC Source4 Zoom 25-50deg	575w		R132, T:APOLLO 3571-BR	(158)		
9	ETC Source4 Zoom 15-30deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(162)		
10	ETC Source4 Zoom 15-30deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(160)		
11	ETC Source4 Zoom 15-30deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(158)		
12	ETC Source4 Zoom 25-50deg	575w		R132, T:APOLLO 3571-BR	(174)		
13	ETC Source4 Zoom 25-50deg	575w		R132, T:APOLLO 3571-BR	(172)		
14	ETC Source4 Zoom 25-50deg	575w		R132, T:APOLLO 3571-BR	(170)		
15	ETC Source4 26deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(174)		
16	ETC Source4 26deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(172)		
17	ETC Source4 26deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(170)		
18	Chauvet Rogue R1 Wash	161w		N/C	(30)		

BOX BOOM HR

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
6	ETC Source4 Zoom 25-50deg	575w		R132, T:APOLLO 3571-BR	(157)		
7	ETC Source4 Zoom 15-30deg	575w		R132, T:APOLLO 3571-BR	(159)		
8	ETC Source4 Zoom 15-30deg	575w		R132, T:APOLLO 3571-BR	(161)		
9	ETC Source4 Zoom 15-30deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(157)		
10	ETC Source4 Zoom 15-30deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(159)		
11	ETC Source4 Zoom 15-30deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(161)		
12	ETC Source4 Zoom 25-50deg	575w		R132, T:APOLLO 3571-BR	(169)		
13	ETC Source4 Zoom 25-50deg	575w		R132, T:APOLLO 3571-BR	(171)		
14	ETC Source4 Zoom 25-50deg	575w		R132, T:APOLLO 3571-BR	(173)		
15	ETC Source4 26deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(169)		
16	ETC Source4 26deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(171)		
17	ETC Source4 26deg	575w		R132, T:ROSCO 78023 RANDOM LINES	(173)		
18	Chauvet Rogue R1 Wash	161w		N/C	(31)		

DECK BOOM 2 SR

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 36deg	575w		R Ecolour 025+ R119	(410)		
2	ETC Source4 26deg	575w		R183+R119	(408)		
3	ETC Source4 36deg	575w		R337+R119, R361+R119	(406)		

DECK BOOM 2 SL

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 36deg	575w		R Ecolour 025+ R119	(409)		
2	ETC Source4 26deg	575w		R183+R119	(407)		
3	ETC Source4 36deg	575w		R337+R119, R361+R119	(405)		

DECK BOOM 3 SL

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 36deg	575w		R Ecolour 025+ R119	(415)		
2	ETC Source4 26deg	575w		R183+R119	(413)		
3	ETC Source4 36deg	575w		R337+R119, R361+R119	(411)		

DECK BOOM 3 SR

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 36deg	575w		R Ecolour 025+ R119	(416)		
2	ETC Source4 26deg	575w		R183+R119	(414)		
3	ETC Source4 36deg	575w		R337+R119, R361+R119	(412)		

4 LX

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC ColorSource Cyclight	160w		N/C	(600)		
2	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(313)		
3	ETC ColorSource Cyclight	160w		N/C	(601)		
4	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(314)		
5	ETC ColorSource Cyclight	160w		N/C	(602)		
6	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(315)		
7	ETC ColorSource Cyclight	160w		N/C	(603)		
8	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(316)		
9	ETC ColorSource Cyclight	160w		N/C	(604)		
10	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(317)		
11	ETC ColorSource Cyclight	160w		N/C	(605)		
12	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(318)		
13	ETC ColorSource Cyclight	160w		N/C	(606)		
14	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(319)		
15	ETC ColorSource Cyclight	160w		N/C	(607)		
16	ETC Source4 26deg	575w		R132, T:ROSCO 78023 LEAF BRKUP MED	(320)		
17	ETC ColorSource Cyclight	160w		N/C, T:76601	(608)		

FOH LO

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 PARNel	575w	HOUSE LIGHTS	N/C	(3000)		
2	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(112)		
3	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(114)		
4	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(116)		
5	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(118)		
6	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(120)		
7	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(122)		
8	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(124)		
9	Martin Mac Quatum Profile	750w			(1)		
10	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(126)		
11	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(128)		
12	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(130)		
13	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(132)		
14	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(134)		
15	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(136)		
16	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(138)		
17	ETC Source4 PARNel	575w	HOUSE LIGHTS	N/C	(3000)		

FOH HI

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(111)		
2	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(113)		
3	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(115)		
4	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(117)		
5	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(119)		
6	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(121)		
7	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(123)		
8	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(125)		
9	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(127)		
10	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(129)		
11	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(131)		
12	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(133)		
13	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(135)		
14	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(137)		

FOH REAR

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 PARNel	575w	HOUSE LIGHTS	N/C	(3000)		
2	ETC Source4 PARNel	575w	HOUSE LIGHTS	N/C	(3000)		
3	ETC Source4 PARNel	575w	HOUSE LIGHTS	N/C	(3000)		

FOOTLIGHTS

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(750)		
2	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(750)		
3	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(750)		
4	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(751)		
5	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(751)		
6	ETC Source4 Mini 36deg	50w	FOOTLIGHT SPECIAL		(800)		
7	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(751)		
8	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(752)		
9	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(753)		
13	ETC Source4 Mini 36deg	50w	FOOTLIGHT SPECIAL		(801)		
14	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(753)		
15	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(753)		
16	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(754)		
17	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(754)		
18	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(754)		

DECK BOOM 1 SR

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 36deg	575w		R Ecolour 025+ R119	(404)		
2	Chauvet COLORado Batten 72 Tour	88w		N/C	(502)		
3	ETC Source4 36deg	575w		R183+R119	(402)		

DECK BOOM 1 SL

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 36deg	575w		R Ecolour 025+ R119	(403)		
2	Chauvet COLORado Batten 72 Tour	88w		N/C	(501)		
3	ETC Source4 36deg	575w		R183+R119	(401)		

BACK OF HOUSE

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
	Altman Comet Follow Spots	410w		R132, R3318, L205, R05, R3314, R302			
	Altman Comet Follow Spots	410w		R132, R3318, L205, R05, R3314, R302			

SL PROCENIUM WALL

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 26deg	575w		R183+R119	(151)		
2	ETC Source4 26deg	575w		R Ecolour 025+ R119	(155)		
3	ETC Source4 26deg	575w		R183+R119	(151)		
4	ETC Source4 26deg	575w		R Ecolour 025+ R119	(155)		

SR PROCENIUM WALL

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
1	ETC Source4 26deg	575w		R183+R119	(152)		
2	ETC Source4 26deg	575w		R Ecolour 025+ R119	(156)		
3	ETC Source4 26deg	575w		R183+R119	(152)		
4	ETC Source4 26deg	575w		R Ecolour 025+ R119	(156)		

GROUNDROW

U#	Inst Type & Access	Load	Purpose	Color & Gobo	Chan	Ad	Dm
	Chauvet COLORado Batten 72 Tour	88w	CYC ^	R104	(904)		
	Chauvet COLORado Batten 72 Tour	88w	CYC ^	R104	(903)		
	Chauvet COLORado Batten 72 Tour	88w	CYC ^	R104	(902)		
	Chauvet COLORado Batten 72 Tour	88w	CYC ^	R104	(901)		
	Chauvet COLORado Batten 72 Tour	88w	CYC ^	R104	(900)		
	Chauvet COLORado Batten 72 Tour	88w	CYC ^	R104	(905)		
	Chauvet COLORado Batten 72 Tour	88w	CYC ^	R104	(906)		
	Chauvet COLORado Batten 72 Tour	88w	CYC ^	R104	(907)		
	Chauvet COLORado Batten 72 Tour	88w	CYC ^	R104	(908)		

TABLE OF CONTENTS

R132	1	R183	10
N/C	4	R104	11
R54, R119	8	R183+R119	12
R132, R3318, L205, R05, R3314, R3	10	R Ecolour 025+R119	13
R14	10	R337+R119, R361+R119	13

R132

Position	U#	Inst Type & Access	Load	Purpose	Gobo	Chan
BOX BOOM HL	6	ETC Source4 Zoom 15-30deg	575w		APOLLO 3571-BR	(162)
BOX BOOM HL	7	ETC Source4 Zoom 15-30deg	575w		APOLLO 3571-BR	(160)
BOX BOOM HL	8	ETC Source4 Zoom 25-50deg	575w		APOLLO 3571-BR	(158)
BOX BOOM HL	9	ETC Source4 Zoom 15-30deg	575w		ROSCO 78023 RANDOM LINES	(162)
BOX BOOM HL	10	ETC Source4 Zoom 15-30deg	575w		ROSCO 78023 RANDOM LINES	(160)
BOX BOOM HL	11	ETC Source4 Zoom 15-30deg	575w		ROSCO 78023 RANDOM LINES	(158)
BOX BOOM HL	12	ETC Source4 Zoom 25-50deg	575w		APOLLO 3571-BR	(174)
BOX BOOM HL	13	ETC Source4 Zoom 25-50deg	575w		APOLLO 3571-BR	(172)
BOX BOOM HL	14	ETC Source4 Zoom 25-50deg	575w		APOLLO 3571-BR	(170)
BOX BOOM HL	15	ETC Source4 26deg	575w		ROSCO 78023 RANDOM LINES	(174)
BOX BOOM HL	16	ETC Source4 26deg	575w		ROSCO 78023 RANDOM LINES	(172)
BOX BOOM HL	17	ETC Source4 26deg	575w		ROSCO 78023 RANDOM LINES	(170)
BOX BOOM HR	6	ETC Source4 Zoom 25-50deg	575w		APOLLO 3571-BR	(157)
BOX BOOM HR	7	ETC Source4 Zoom 15-30deg	575w		APOLLO 3571-BR	(159)
BOX BOOM HR	8	ETC Source4 Zoom 15-30deg	575w		APOLLO 3571-BR	(161)

R132

Position	U#	Inst Type & Access	Load	Purpose	Gobo	Chan
BOX BOOM HR	9	ETC Source4 Zoom 15-30deg	575w		ROSCO 78023 RANDOM LINES	(157)
BOX BOOM HR	10	ETC Source4 Zoom 15-30deg	575w		ROSCO 78023 RANDOM LINES	(159)
BOX BOOM HR	11	ETC Source4 Zoom 15-30deg	575w		ROSCO 78023 RANDOM LINES	(161)
BOX BOOM HR	12	ETC Source4 Zoom 25-50deg	575w		APOLLO 3571-BR	(169)
BOX BOOM HR	13	ETC Source4 Zoom 25-50deg	575w		APOLLO 3571-BR	(171)
BOX BOOM HR	14	ETC Source4 Zoom 25-50deg	575w		APOLLO 3571-BR	(173)
BOX BOOM HR	15	ETC Source4 26deg	575w		ROSCO 78023 RANDOM LINES	(169)
BOX BOOM HR	16	ETC Source4 26deg	575w		ROSCO 78023 RANDOM LINES	(171)
BOX BOOM HR	17	ETC Source4 26deg	575w		ROSCO 78023 RANDOM LINES	(173)
4 LX	2	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(313)
4 LX	4	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(314)
4 LX	6	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(315)
4 LX	8	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(316)
4 LX	10	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(317)
4 LX	12	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(318)

R132

Position	U#	Inst Type & Access	Load	Purpose	Gobo	Chan
4 LX	14	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(319)

4 LX	16	ETC Source4 26deg	575w		ROSCO 78023 LEAF BRKUP MED	(320)

N/C

Position	U#	Inst Type & Access	Load	Purpose	Gobo	Chan
1LX	3	Chauvet Rogue R1 Wash	161w			(43)
1LX	5	Martin Mac2000 Performance	1.2kW			(21)
1LX	7	Chauvet Rogue R1 Wash	161w			(42)
1LX	9	Martin Mac Quatum Profile	750w			(10)
1LX	11	Chauvet Rogue R1 Wash	161w			(41)
1LX	13	Martin Mac2000 Performance	1.2kW			(20)
1LX	15	Chauvet Rogue R1 Wash	161w			(40)
2A LX	3	Chauvet Rogue R1 Wash	161w			(51)
2A LX	5	Martin Mac2000 Performance	1.2kW			(23)
2A LX	7	Chauvet Rogue R1 Wash	161w			(50)
2A LX	11	Chauvet Rogue R1 Wash	161w			(49)
2A LX	13	Martin Mac2000 Performance	1.2kW			(22)
2A LX	15	Chauvet Rogue R1 Wash	161w			(48)
2 LX	3	Chauvet Rogue R1 Wash	161w			(47)
2 LX	5	Martin Mac Quatum Profile	750w			(13)

N/C

Position	U#	Inst Type & Access	Load	Purpose	Gobo	Chan
2 LX	7	Chauvet Rogue R1 Wash	161w			(46)
2 LX	9	Martin Mac Quatum Profile	750w			(12)
2 LX	11	Chauvet Rogue R1 Wash	161w			(45)
2 LX	13	Martin Mac Quatum Profile	750w			(11)
2 LX	15	Chauvet Rogue R1 Wash	161w			(44)
3 LX	3	Martin Mac2000 Performance	1.2kW			(25)
3 LX	6	Martin Mac Quatum Profile	750w			(14)
3 LX	9	Martin Mac2000 Performance	1.2kW			(24)
BOX BOOM HL	18	Chauvet Rogue R1 Wash	161w			(30)
BOX BOOM HR	18	Chauvet Rogue R1 Wash	161w			(31)
4 LX	1	ETC ColorSource Cyclight	160w			(600)
4 LX	3	ETC ColorSource Cyclight	160w			(601)
4 LX	5	ETC ColorSource Cyclight	160w			(602)
4 LX	7	ETC ColorSource Cyclight	160w			(603)
4 LX	9	ETC ColorSource Cyclight	160w			(604)

N/C

Position	U#	Inst Type & Access	Load	Purpose	Gobo	Chan
4 LX	11	ETC ColorSource Cyclight	160w			(605)
4 LX	13	ETC ColorSource Cyclight	160w			(606)
4 LX	15	ETC ColorSource Cyclight	160w			(607)
4 LX	17	ETC ColorSource Cyclight	160w		76601	(608)
FOH LO	1	ETC Source4 PARNeI	575w	HOUSE LIGHTS		(3000)
FOH LO	17	ETC Source4 PARNeI	575w	HOUSE LIGHTS		(3000)
FOH REAR	1	ETC Source4 PARNeI	575w	HOUSE LIGHTS		(3000)
FOH REAR	2	ETC Source4 PARNeI	575w	HOUSE LIGHTS		(3000)
FOH REAR	3	ETC Source4 PARNeI	575w	HOUSE LIGHTS		(3000)
FOOTLI GHTS	1	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGH TS		(750)
FOOTLI GHTS	2	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGH TS		(750)
FOOTLI GHTS	3	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGH TS		(750)
FOOTLI GHTS	4	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGH TS		(751)
FOOTLI GHTS	5	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGH TS		(751)
FOOTLI GHTS	7	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGH TS		(751)

N/C

Position	U#	Inst Type & Access	Load	Purpose	Gobo	Chan
FOOTLI GHTS	8	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGH TS		(752)
FOOTLI GHTS	9	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGH TS		(753)
FOOTLI GHTS	14	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGH TS		(753)
FOOTLI GHTS	15	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGH TS		(753)
FOOTLI GHTS	16	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGH TS		(754)
FOOTLI GHTS	17	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGH TS		(754)
FOOTLI GHTS	18	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGH TS		(754)
DECK BOOM 1 SR	2	Chauvet COLORado Batten 72 Tour	88w			(502)
DECK BOOM 1 SL	2	Chauvet COLORado Batten 72 Tour	88w			(501)

R54, R119

Position	U#	Inst Type & Access	Load	Purpose	Gobo	Chan
FOH LO	2	ETC Source4 19deg	575w	FRONT FILL		(112)
FOH LO	3	ETC Source4 19deg	575w	FRONT FILL		(114)
FOH LO	4	ETC Source4 19deg	575w	FRONT FILL		(116)
FOH LO	5	ETC Source4 19deg	575w	FRONT FILL		(118)
FOH LO	6	ETC Source4 19deg	575w	FRONT FILL		(120)
FOH LO	7	ETC Source4 19deg	575w	FRONT FILL		(122)
FOH LO	8	ETC Source4 19deg	575w	FRONT FILL		(124)
FOH LO	10	ETC Source4 19deg	575w	FRONT FILL		(126)
FOH LO	11	ETC Source4 19deg	575w	FRONT FILL		(128)
FOH LO	12	ETC Source4 19deg	575w	FRONT FILL		(130)
FOH LO	13	ETC Source4 19deg	575w	FRONT FILL		(132)
FOH LO	14	ETC Source4 19deg	575w	FRONT FILL		(134)
FOH LO	15	ETC Source4 19deg	575w	FRONT FILL		(136)
FOH LO	16	ETC Source4 19deg	575w	FRONT FILL		(138)
FOH HI	1	ETC Source4 26deg	575w	FRONT FILL		(111)

R54, R119

Position	U#	Inst Type & Access	Load	Purpose	Gobo	Chan
FOH HI	2	ETC Source4 26deg	575w	FRONT FILL		(113)
FOH HI	3	ETC Source4 26deg	575w	FRONT FILL		(115)
FOH HI	4	ETC Source4 26deg	575w	FRONT FILL		(117)
FOH HI	5	ETC Source4 26deg	575w	FRONT FILL		(119)
FOH HI	6	ETC Source4 26deg	575w	FRONT FILL		(121)
FOH HI	7	ETC Source4 26deg	575w	FRONT FILL		(123)
FOH HI	8	ETC Source4 26deg	575w	FRONT FILL		(125)
FOH HI	9	ETC Source4 26deg	575w	FRONT FILL		(127)
FOH HI	10	ETC Source4 26deg	575w	FRONT FILL		(129)
FOH HI	11	ETC Source4 26deg	575w	FRONT FILL		(131)
FOH HI	12	ETC Source4 26deg	575w	FRONT FILL		(133)
FOH HI	13	ETC Source4 26deg	575w	FRONT FILL		(135)
FOH HI	14	ETC Source4 26deg	575w	FRONT FILL		(137)

R132, R3318, L205, R05, R3314, R302

Position	U#	Inst Type & Access	Load	Purpose	Gobo	Chan
BACK OF HOUSE		Altman Comet Follow Spots	410w			
BACK OF HOUSE		Altman Comet Follow Spots	410w			

R14

Position	U#	Inst Type & Access	Load	Purpose	Gobo	Chan
3 LX	4	ETC CE Source4 PAR MCM (WFL)	575w			(555)
3 LX	7	ETC CE Source4 PAR MCM (WFL)	575w			(553)
3 LX	10	ETC CE Source4 PAR MCM (WFL)	575w			(551)

R183

Position	U#	Inst Type & Access	Load	Purpose	Gobo	Chan
3 LX	1	ETC CE Source4 PAR MCM (WFL)	575w			(557)
3 LX	2	ETC CE Source4 PAR MCM (WFL)	575w			(556)
3 LX	5	ETC CE Source4 PAR MCM (WFL)	575w			(554)
3 LX	8	ETC CE Source4 PAR MCM (WFL)	575w			(552)
3 LX	11	ETC CE Source4 PAR MCM (WFL)	575w			(550)

R104

Position	U#	Inst Type & Access	Load	Purpose	Gobo	Chan
GROUN DROW		Chauvet COLORado Batten 72 Tour	88w	CYC ^		(904)
GROUN DROW		Chauvet COLORado Batten 72 Tour	88w	CYC ^		(903)
GROUN DROW		Chauvet COLORado Batten 72 Tour	88w	CYC ^		(902)
GROUN DROW		Chauvet COLORado Batten 72 Tour	88w	CYC ^		(901)
GROUN DROW		Chauvet COLORado Batten 72 Tour	88w	CYC ^		(900)
GROUN DROW		Chauvet COLORado Batten 72 Tour	88w	CYC ^		(905)
GROUN DROW		Chauvet COLORado Batten 72 Tour	88w	CYC ^		(906)
GROUN DROW		Chauvet COLORado Batten 72 Tour	88w	CYC ^		(907)
GROUN DROW		Chauvet COLORado Batten 72 Tour	88w	CYC ^		(908)

R183+R119

Position	U#	Inst Type & Access	Load	Purpose	Gobo	Chan
DECK BOOM 2 SR	2	ETC Source4 26deg	575w			(408)
DECK BOOM 2 SL	2	ETC Source4 26deg	575w			(407)
DECK BOOM 3 SL	2	ETC Source4 26deg	575w			(413)
DECK BOOM 3 SR	2	ETC Source4 26deg	575w			(414)
DECK BOOM 1 SR	3	ETC Source4 36deg	575w			(402)
DECK BOOM 1 SL	3	ETC Source4 36deg	575w			(401)
SL PROCENIU M WALL	1	ETC Source4 26deg	575w			(151)
SL PROCENIU M WALL	3	ETC Source4 26deg	575w			(151)
SR PROCENIU M WALL	1	ETC Source4 26deg	575w			(152)
SR PROCENIU M WALL	3	ETC Source4 26deg	575w			(152)

R Ecolour 025+R119

Position	U#	Inst Type & Access	Load	Purpose	Gobo	Chan
DECK BOOM 2 SR	1	ETC Source4 36deg	575w			(410)
DECK BOOM 2 SL	1	ETC Source4 36deg	575w			(409)
DECK BOOM 3 SL	1	ETC Source4 36deg	575w			(415)
DECK BOOM 3 SR	1	ETC Source4 36deg	575w			(416)
DECK BOOM 1 SR	1	ETC Source4 36deg	575w			(404)
DECK BOOM 1 SL	1	ETC Source4 36deg	575w			(403)
SL PROCENIU M WALL	2	ETC Source4 26deg	575w			(155)
SL PROCENIU M WALL	4	ETC Source4 26deg	575w			(155)
SR PROCENIU M WALL	2	ETC Source4 26deg	575w			(156)
SR PROCENIU M WALL	4	ETC Source4 26deg	575w			(156)

R337+R119, R361+R119

Position	U#	Inst Type & Access	Load	Purpose	Gobo	Chan
DECK BOOM 2 SR	3	ETC Source4 36deg	575w			(406)
DECK BOOM 2 SL	3	ETC Source4 36deg	575w			(405)
DECK BOOM 3 SL	3	ETC Source4 36deg	575w			(411)
DECK BOOM 3 SR	3	ETC Source4 36deg	575w			(412)

Items WITHOUT Color

Position	U#	Inst Type & Access	Load	Purpose	Gobo	Chan
1LX	1	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(201)
1LX	2	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(203)
1LX	4	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(205)
1LX	6	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(207)
1LX	8	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(209)
1LX	10	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(202)
1LX	12	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(204)
1LX	14	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(206)
1LX	16	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(208)
1LX	17	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(210)
3A LX	1	ETC Source4 36deg	575w			(231)
3A LX	2	ETC Source4 36deg	575w			(233)
3A LX	3	ETC Source4 36deg	575w			(235)
3A LX	4	ETC Source4 36deg	575w			(237)
3A LX	5	ETC Source4 36deg	575w			(239)
3A LX	6	Chauvet Rogue R1 Wash	161w			(52)
3A LX	7	ETC Source4 36deg	575w			(232)
3A LX	8	ETC Source4 36deg	575w			(234)
3A LX	9	ETC Source4 36deg	575w			(236)
3A LX	10	ETC Source4 36deg	575w			(238)
3A LX	11	ETC Source4 36deg	575w			(240)
2A LX	1	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(221)
2A LX	2	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(223)
2A LX	4	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(225)
2A LX	6	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(227)

Items WITHOUT Color

Position	U#	Inst Type & Access	Load	Purpose	Gobo	Chan
2A LX	8	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(229)
2A LX	10	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(222)
2A LX	12	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(224)
2A LX	14	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(226)
2A LX	16	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(228)
2A LX	17	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(230)
2 LX	1	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(211)
2 LX	2	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(213)
2 LX	4	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(215)
2 LX	6	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(217)
2 LX	8	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(219)
2 LX	10	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(212)
2 LX	12	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(214)
2 LX	14	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(216)
2 LX	16	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(218)
2 LX	17	ETC Source4 36deg	575w		76601 CRAZY BREAKUP	(220)
FOH LO	9	Martin Mac Quatum Profile	750w			(1)
FOOTLI GHTS	6	ETC Source4 Mini 36deg	50w	FOOTLIGH T SPECIAL		(800)
FOOTLI GHTS	13	ETC Source4 Mini 36deg	50w	FOOTLIGH T SPECIAL		(801)

TABLE OF CONTENTS

76601	1	APOLLO 3571-BR	2
ROSCO 78023 RANDOM LINES	1	ROSCO 78023 LEAF BRKUP MED ...	3
		76601 CRAZY BREAKUP	4

76601

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
4 LX	17	ETC ColorSource Cyclight	160w		N/C	(608)

ROSCO 78023 RANDOM LINES

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
BOX BOOM HL	9	ETC Source4 Zoom 15-30deg	575w		R132	(162)

BOX BOOM HL	10	ETC Source4 Zoom 15-30deg	575w		R132	(160)
----------------	----	---------------------------	------	--	------	-------

BOX BOOM HL	11	ETC Source4 Zoom 15-30deg	575w		R132	(158)
----------------	----	---------------------------	------	--	------	-------

BOX BOOM HL	15	ETC Source4 26deg	575w		R132	(174)
----------------	----	-------------------	------	--	------	-------

BOX BOOM HL	16	ETC Source4 26deg	575w		R132	(172)
----------------	----	-------------------	------	--	------	-------

BOX BOOM HL	17	ETC Source4 26deg	575w		R132	(170)
----------------	----	-------------------	------	--	------	-------

BOX BOOM HR	9	ETC Source4 Zoom 15-30deg	575w		R132	(157)
----------------	---	---------------------------	------	--	------	-------

BOX BOOM HR	10	ETC Source4 Zoom 15-30deg	575w		R132	(159)
----------------	----	---------------------------	------	--	------	-------

BOX BOOM HR	11	ETC Source4 Zoom 15-30deg	575w		R132	(161)
----------------	----	---------------------------	------	--	------	-------

BOX BOOM HR	15	ETC Source4 26deg	575w		R132	(169)
----------------	----	-------------------	------	--	------	-------

BOX BOOM HR	16	ETC Source4 26deg	575w		R132	(171)
----------------	----	-------------------	------	--	------	-------

BOX BOOM HR	17	ETC Source4 26deg	575w		R132	(173)
----------------	----	-------------------	------	--	------	-------

APOLLO 3571-BR

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
BOX BOOM HL	6	ETC Source4 Zoom 15-30deg	575w		R132	(162)
BOX BOOM HL	7	ETC Source4 Zoom 15-30deg	575w		R132	(160)
BOX BOOM HL	8	ETC Source4 Zoom 25-50deg	575w		R132	(158)
BOX BOOM HL	12	ETC Source4 Zoom 25-50deg	575w		R132	(174)
BOX BOOM HL	13	ETC Source4 Zoom 25-50deg	575w		R132	(172)
BOX BOOM HL	14	ETC Source4 Zoom 25-50deg	575w		R132	(170)
BOX BOOM HR	6	ETC Source4 Zoom 25-50deg	575w		R132	(157)
BOX BOOM HR	7	ETC Source4 Zoom 15-30deg	575w		R132	(159)
BOX BOOM HR	8	ETC Source4 Zoom 15-30deg	575w		R132	(161)
BOX BOOM HR	12	ETC Source4 Zoom 25-50deg	575w		R132	(169)
BOX BOOM HR	13	ETC Source4 Zoom 25-50deg	575w		R132	(171)
BOX BOOM HR	14	ETC Source4 Zoom 25-50deg	575w		R132	(173)

ROSCO 78023 LEAF BRKUP MED

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
4 LX	2	ETC Source4 26deg	575w		R132	(313)
4 LX	4	ETC Source4 26deg	575w		R132	(314)
4 LX	6	ETC Source4 26deg	575w		R132	(315)
4 LX	8	ETC Source4 26deg	575w		R132	(316)
4 LX	10	ETC Source4 26deg	575w		R132	(317)
4 LX	12	ETC Source4 26deg	575w		R132	(318)
4 LX	14	ETC Source4 26deg	575w		R132	(319)
4 LX	16	ETC Source4 26deg	575w		R132	(320)

76601 CRAZY BREAKUP

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
1LX	1	ETC Source4 36deg	575w			(201)
1LX	2	ETC Source4 36deg	575w			(203)
1LX	4	ETC Source4 36deg	575w			(205)
1LX	6	ETC Source4 36deg	575w			(207)
1LX	8	ETC Source4 36deg	575w			(209)
1LX	10	ETC Source4 36deg	575w			(202)
1LX	12	ETC Source4 36deg	575w			(204)
1LX	14	ETC Source4 36deg	575w			(206)
1LX	16	ETC Source4 36deg	575w			(208)
1LX	17	ETC Source4 36deg	575w			(210)
2A LX	1	ETC Source4 36deg	575w			(221)
2A LX	2	ETC Source4 36deg	575w			(223)
2A LX	4	ETC Source4 36deg	575w			(225)
2A LX	6	ETC Source4 36deg	575w			(227)
2A LX	8	ETC Source4 36deg	575w			(229)
2A LX	10	ETC Source4 36deg	575w			(222)
2A LX	12	ETC Source4 36deg	575w			(224)
2A LX	14	ETC Source4 36deg	575w			(226)
2A LX	16	ETC Source4 36deg	575w			(228)
2A LX	17	ETC Source4 36deg	575w			(230)
2 LX	1	ETC Source4 36deg	575w			(211)
2 LX	2	ETC Source4 36deg	575w			(213)
2 LX	4	ETC Source4 36deg	575w			(215)
2 LX	6	ETC Source4 36deg	575w			(217)
2 LX	8	ETC Source4 36deg	575w			(219)

76601 CRAZY BREAKUP

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
2 LX	10	ETC Source4 36deg	575w			(212)
2 LX	12	ETC Source4 36deg	575w			(214)
2 LX	14	ETC Source4 36deg	575w			(216)
2 LX	16	ETC Source4 36deg	575w			(218)
2 LX	17	ETC Source4 36deg	575w			(220)

Items WITHOUT Gobo

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
1LX	3	Chauvet Rogue R1 Wash	161w		N/C	(43)
1LX	5	Martin Mac2000 Performance	1.2kW		N/C	(21)
1LX	7	Chauvet Rogue R1 Wash	161w		N/C	(42)
1LX	9	Martin Mac Quatum Profile	750w		N/C	(10)
1LX	11	Chauvet Rogue R1 Wash	161w		N/C	(41)
1LX	13	Martin Mac2000 Performance	1.2kW		N/C	(20)
1LX	15	Chauvet Rogue R1 Wash	161w		N/C	(40)
3A LX	1	ETC Source4 36deg	575w			(231)
3A LX	2	ETC Source4 36deg	575w			(233)
3A LX	3	ETC Source4 36deg	575w			(235)
3A LX	4	ETC Source4 36deg	575w			(237)
3A LX	5	ETC Source4 36deg	575w			(239)
3A LX	6	Chauvet Rogue R1 Wash	161w			(52)
3A LX	7	ETC Source4 36deg	575w			(232)
3A LX	8	ETC Source4 36deg	575w			(234)
3A LX	9	ETC Source4 36deg	575w			(236)
3A LX	10	ETC Source4 36deg	575w			(238)
3A LX	11	ETC Source4 36deg	575w			(240)
2A LX	3	Chauvet Rogue R1 Wash	161w		N/C	(51)
2A LX	5	Martin Mac2000 Performance	1.2kW		N/C	(23)
2A LX	7	Chauvet Rogue R1 Wash	161w		N/C	(50)
2A LX	11	Chauvet Rogue R1 Wash	161w		N/C	(49)
2A LX	13	Martin Mac2000 Performance	1.2kW		N/C	(22)
2A LX	15	Chauvet Rogue R1 Wash	161w		N/C	(48)
2 LX	3	Chauvet Rogue R1 Wash	161w		N/C	(47)
2 LX	5	Martin Mac Quatum Profile	750w		N/C	(13)

Items WITHOUT Gobo

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
2 LX	7	Chauvet Rogue R1 Wash	161w		N/C	(46)
2 LX	9	Martin Mac Quatum Profile	750w		N/C	(12)
2 LX	11	Chauvet Rogue R1 Wash	161w		N/C	(45)
2 LX	13	Martin Mac Quatum Profile	750w		N/C	(11)
2 LX	15	Chauvet Rogue R1 Wash	161w		N/C	(44)
3 LX	1	ETC CE Source4 PAR MCM (WFL)	575w		R183	(557)
3 LX	2	ETC CE Source4 PAR MCM (WFL)	575w		R183	(556)
3 LX	3	Martin Mac2000 Performance	1.2kW		N/C	(25)
3 LX	4	ETC CE Source4 PAR MCM (WFL)	575w		R14	(555)
3 LX	5	ETC CE Source4 PAR MCM (WFL)	575w		R183	(554)
3 LX	6	Martin Mac Quatum Profile	750w		N/C	(14)
3 LX	7	ETC CE Source4 PAR MCM (WFL)	575w		R14	(553)
3 LX	8	ETC CE Source4 PAR MCM (WFL)	575w		R183	(552)
3 LX	9	Martin Mac2000 Performance	1.2kW		N/C	(24)
3 LX	10	ETC CE Source4 PAR MCM (WFL)	575w		R14	(551)
3 LX	11	ETC CE Source4 PAR MCM (WFL)	575w		R183	(550)
BOX BOOM HL	18	Chauvet Rogue R1 Wash	161w		N/C	(30)
BOX BOOM HR	18	Chauvet Rogue R1 Wash	161w		N/C	(31)

Items WITHOUT Gobo

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
DECK BOOM 2 SR	1	ETC Source4 36deg	575w		R Ecolour 025+R119	(410)
DECK BOOM 2 SR	2	ETC Source4 26deg	575w		R183+R119	(408)
DECK BOOM 2 SR	3	ETC Source4 36deg	575w		R337+R119, R361+R119	(406)
DECK BOOM 2 SL	1	ETC Source4 36deg	575w		R Ecolour 025+R119	(409)
DECK BOOM 2 SL	2	ETC Source4 26deg	575w		R183+R119	(407)
DECK BOOM 2 SL	3	ETC Source4 36deg	575w		R337+R119, R361+R119	(405)
DECK BOOM 3 SL	1	ETC Source4 36deg	575w		R Ecolour 025+R119	(415)
DECK BOOM 3 SL	2	ETC Source4 26deg	575w		R183+R119	(413)
DECK BOOM 3 SL	3	ETC Source4 36deg	575w		R337+R119, R361+R119	(411)
DECK BOOM 3 SR	1	ETC Source4 36deg	575w		R Ecolour 025+R119	(416)
DECK BOOM 3 SR	2	ETC Source4 26deg	575w		R183+R119	(414)
DECK BOOM 3 SR	3	ETC Source4 36deg	575w		R337+R119, R361+R119	(412)
4 LX	1	ETC ColorSource Cyclight	160w		N/C	(600)
4 LX	3	ETC ColorSource Cyclight	160w		N/C	(601)
4 LX	5	ETC ColorSource Cyclight	160w		N/C	(602)
4 LX	7	ETC ColorSource Cyclight	160w		N/C	(603)
4 LX	9	ETC ColorSource Cyclight	160w		N/C	(604)
4 LX	11	ETC ColorSource Cyclight	160w		N/C	(605)

Items WITHOUT Gobo

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
4 LX	13	ETC ColorSource Cyclight	160w		N/C	(606)
4 LX	15	ETC ColorSource Cyclight	160w		N/C	(607)
FOH LO	1	ETC Source4 PARNeI	575w	HOUSE LIGHTS	N/C	(3000)
FOH LO	2	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(112)
FOH LO	3	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(114)
FOH LO	4	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(116)
FOH LO	5	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(118)
FOH LO	6	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(120)
FOH LO	7	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(122)
FOH LO	8	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(124)
FOH LO	9	Martin Mac Quatum Profile	750w			(1)
FOH LO	10	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(126)
FOH LO	11	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(128)
FOH LO	12	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(130)
FOH LO	13	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(132)
FOH LO	14	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(134)
FOH LO	15	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(136)
FOH LO	16	ETC Source4 19deg	575w	FRONT FILL	R54, R119	(138)
FOH LO	17	ETC Source4 PARNeI	575w	HOUSE LIGHTS	N/C	(3000)
FOH HI	1	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(111)
FOH HI	2	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(113)
FOH HI	3	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(115)
FOH HI	4	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(117)
FOH HI	5	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(119)
FOH HI	6	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(121)

Items WITHOUT Gobo

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
FOH HI	7	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(123)
FOH HI	8	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(125)
FOH HI	9	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(127)
FOH HI	10	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(129)
FOH HI	11	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(131)
FOH HI	12	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(133)
FOH HI	13	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(135)
FOH HI	14	ETC Source4 26deg	575w	FRONT FILL	R54, R119	(137)
FOH REAR	1	ETC Source4 PARNeI	575w	HOUSE LIGHTS	N/C	(3000)
FOH REAR	2	ETC Source4 PARNeI	575w	HOUSE LIGHTS	N/C	(3000)
FOH REAR	3	ETC Source4 PARNeI	575w	HOUSE LIGHTS	N/C	(3000)
FOOTLIGHT S	1	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(750)
FOOTLIGHT S	2	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(750)
FOOTLIGHT S	3	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(750)
FOOTLIGHT S	4	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(751)
FOOTLIGHT S	5	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(751)
FOOTLIGHT S	6	ETC Source4 Mini 36deg	50w	FOOTLIGHT SPECIAL		(800)
FOOTLIGHT S	7	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(751)

Items WITHOUT Gobo

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
FOOTLIGHT S	8	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(752)
FOOTLIGHT S	9	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(753)
FOOTLIGHT S	13	ETC Source4 Mini 36deg	50w	FOOTLIGHT SPECIAL		(801)
FOOTLIGHT S	14	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(753)
FOOTLIGHT S	15	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(753)
FOOTLIGHT S	16	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(754)
FOOTLIGHT S	17	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(754)
FOOTLIGHT S	18	USITT PAR MR-16 Birdie-WFL	65w	FOOTLIGHTS	N/C	(754)
DECK BOOM 1 SR	1	ETC Source4 36deg	575w		R Ecolour 025+R119	(404)
DECK BOOM 1 SR	2	Chauvet COLORado Batten 72 Tour	88w		N/C	(502)
DECK BOOM 1 SR	3	ETC Source4 36deg	575w		R183+R119	(402)
DECK BOOM 1 SL	1	ETC Source4 36deg	575w		R Ecolour 025+R119	(403)
DECK BOOM 1 SL	2	Chauvet COLORado Batten 72 Tour	88w		N/C	(501)
DECK BOOM 1 SL	3	ETC Source4 36deg	575w		R183+R119	(401)
BACK OF HOUSE		Altman Comet Follow Spots	410w		R132, R3318, L205, R05, R3314, R302	

Items WITHOUT Gobo

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
BACK OF HOUSE		Altman Comet Follow Spots	410w		R132, R3318, L205, R05, R3314, R302	
SL PROCENIUM WALL	1	ETC Source4 26deg	575w		R183+R119	(151)
SL PROCENIUM WALL	2	ETC Source4 26deg	575w		R Ecolour 025+R119	(155)
SL PROCENIUM WALL	3	ETC Source4 26deg	575w		R183+R119	(151)
SL PROCENIUM WALL	4	ETC Source4 26deg	575w		R Ecolour 025+R119	(155)
SR PROCENIUM WALL	1	ETC Source4 26deg	575w		R183+R119	(152)
SR PROCENIUM WALL	2	ETC Source4 26deg	575w		R Ecolour 025+R119	(156)
SR PROCENIUM WALL	3	ETC Source4 26deg	575w		R183+R119	(152)
SR PROCENIUM WALL	4	ETC Source4 26deg	575w		R Ecolour 025+R119	(156)
GROUNDROW		Chauvet COLORado Batten 72 Tour	88w	CYC ^	R104	(904)
GROUNDROW		Chauvet COLORado Batten 72 Tour	88w	CYC ^	R104	(903)
GROUNDROW		Chauvet COLORado Batten 72 Tour	88w	CYC ^	R104	(902)
GROUNDROW		Chauvet COLORado Batten 72 Tour	88w	CYC ^	R104	(901)
GROUNDROW		Chauvet COLORado Batten 72 Tour	88w	CYC ^	R104	(900)

Items WITHOUT Gobo

Position	U#	Inst Type & Access	Load	Purpose	Color	Chan
GROUNDROW		Chauvet COLORado Batten 72 Tour	88w	CYC ^	R104	(905)
GROUNDROW		Chauvet COLORado Batten 72 Tour	88w	CYC ^	R104	(906)
GROUNDROW		Chauvet COLORado Batten 72 Tour	88w	CYC ^	R104	(907)
GROUNDROW		Chauvet COLORado Batten 72 Tour	88w	CYC ^	R104	(908)